



## FXVS Closed Circuit Cooling Tower Pressure Drop SI Units (kPa)

Product Model Number	Process Fluid	First Flow			Second Flow			Third Flow		
		l/s	kPa	Std coil conn. (Size x Qty)	l/s	kPa	Std coil conn. (Size x Qty)	l/s	kPa	Std coil conn. (Size x Qty)
FXVS 0806B-12D-G	Water	9.60	5.00	1 x ND100	7.68	3.31	1 x ND100	11.52	7.01	1 x ND100
FXVS 0806B-12D-H	Water	10.60	6.00	1 x ND100	8.48	3.97	1 x ND100	12.72	8.41	1 x ND100
FXVS 0806B-12D-J	Water	11.50	7.00	1 x ND100	9.20	4.63	1 x ND100	13.80	9.81	1 x ND100
FXVS 0806B-12D-K	Water	12.20	8.00	1 x ND100	9.76	5.29	1 x ND100	14.64	11.21	1 x ND100
FXVS 0806B-12D-L	Water	12.90	9.00	1 x ND100	10.32	5.96	1 x ND100	15.48	12.61	1 x ND100
FXVS 0806B-16D-G	Water	11.20	8.00	1 x ND100	8.96	5.29	1 x ND100	13.44	11.21	1 x ND100
FXVS 0806B-16D-H	Water	12.60	10.00	1 x ND100	10.08	6.62	1 x ND100	15.12	14.01	1 x ND100
FXVS 0806B-16D-J	Water	13.70	12.00	1 x ND100	10.96	7.94	1 x ND100	16.44	16.81	1 x ND100
FXVS 0806B-16D-K	Water	14.50	13.00	1 x ND100	11.60	8.60	1 x ND100	17.40	18.21	1 x ND100
FXVS 0806B-16D-L	Water	15.40	15.00	1 x ND100	12.32	9.93	1 x ND100	18.48	21.02	1 x ND100
FXVS 0806B-20D-G	Water	12.40	12.00	1 x ND100	9.92	7.94	1 x ND100	14.88	16.81	1 x ND100
FXVS 0806B-20D-H	Water	13.90	14.00	1 x ND100	11.12	9.26	1 x ND100	16.68	19.62	1 x ND100
FXVS 0806B-20D-J	Water	15.20	17.00	1 x ND100	12.16	11.25	1 x ND100	18.24	23.82	1 x ND100
FXVS 0806B-20D-K	Water	16.10	19.00	1 x ND100	12.88	12.57	1 x ND100	19.32	26.62	1 x ND100
FXVS 0806B-20D-L	Water	17.20	21.00	1 x ND100	13.76	13.90	1 x ND100	20.64	29.42	1 x ND100
FXVS 0806B-24D-G	Water	14.20	17.00	1 x ND100	11.36	11.25	1 x ND100	17.04	23.82	1 x ND100
FXVS 0806B-24D-H	Water	16.20	22.00	1 x ND100	12.96	14.56	1 x ND100	19.44	30.83	1 x ND100
FXVS 0806B-24D-J	Water	17.80	26.00	1 x ND100	14.24	17.21	1 x ND100	21.36	36.43	1 x ND100
FXVS 0806B-24D-K	Water	19.00	29.00	1 x ND100	15.20	19.19	1 x ND100	22.80	40.63	1 x ND100
FXVS 0806B-24D-L	Water	20.40	33.00	1 x ND100	16.32	21.84	1 x ND100	24.48	46.24	1 x ND100
FXVS 0806B-28D-G	Water	14.90	21.00	1 x ND100	11.92	13.90	1 x ND100	17.88	29.42	1 x ND100
FXVS 0806B-28D-H	Water	17.00	27.00	1 x ND100	13.60	17.87	1 x ND100	20.40	37.83	1 x ND100
FXVS 0806B-28D-J	Water	18.80	32.00	1 x ND100	15.04	21.18	1 x ND100	22.56	44.84	1 x ND100
FXVS 0806B-28D-K	Water	20.10	36.00	1 x ND100	16.08	23.82	1 x ND100	24.12	50.44	1 x ND100
FXVS 0806B-28D-L	Water	21.60	41.00	1 x ND100	17.28	27.13	1 x ND100	25.92	57.45	1 x ND100
FXVS 0806B-32D-G	Water	15.50	25.00	1 x ND100	12.40	16.54	1 x ND100	18.60	35.03	1 x ND100
FXVS 0806B-32D-H	Water	17.70	32.00	1 x ND100	14.16	21.18	1 x ND100	21.24	44.84	1 x ND100
FXVS 0806B-32D-J	Water	19.50	38.00	1 x ND100	15.60	25.15	1 x ND100	23.40	53.24	1 x ND100
FXVS 0806B-32D-K	Water	20.90	43.00	1 x ND100	16.72	28.46	1 x ND100	25.08	60.25	1 x ND100
FXVS 0806B-32D-L	Water	22.50	49.00	1 x ND100	18.00	32.43	1 x ND100	27.00	68.66	1 x ND100
FXVS 0806B-36D-G	Water	16.00	30.00	1 x ND100	12.80	19.85	1 x ND100	19.20	42.03	1 x ND100
FXVS 0806B-36D-H	Water	18.30	38.00	1 x ND100	14.64	25.15	1 x ND100	21.96	53.24	1 x ND100
FXVS 0806B-36D-J	Water	20.20	45.00	1 x ND100	16.16	29.78	1 x ND100	24.24	63.05	1 x ND100
FXVS 0806B-36D-K	Water	21.60	51.00	1 x ND100	17.28	33.75	1 x ND100	25.92	71.46	1 x ND100
FXVS 0806B-36D-L	Water	23.30	58.00	1 x ND100	18.64	38.38	1 x ND100	27.96	81.27	1 x ND100
FXVS 0809B-16D-K	Water	22.80	37.00	1 x ND100	18.24	24.49	1 x ND100	27.36	51.84	1 x ND100
FXVS 0809B-16D-L	Water	24.90	44.00	1 x ND100	19.92	29.12	1 x ND100	29.88	61.65	1 x ND100
FXVS 0809B-16D-ML	Water	26.10	48.00	2 x ND100	20.88	31.77	2 x ND100	31.32	67.26	2 x ND100
FXVS 0809B-20D-K	Water	24.80	52.00	1 x ND100	19.84	34.41	1 x ND100	29.76	72.86	1 x ND100
FXVS 0809B-20D-L	Water	27.20	61.00	2 x ND100	21.76	40.37	2 x ND100	32.64	85.47	2 x ND100
FXVS 0809B-20D-ML	Water	28.50	67.00	2 x ND100	22.80	44.34	2 x ND100	34.20	93.88	2 x ND100
FXVS 0809B-24D-K	Water	28.50	78.00	2 x ND100	22.80	51.62	2 x ND100	34.20	109.29	2 x ND100
FXVS 0809B-24D-L	Water	31.50	94.00	2 x ND100	25.20	62.21	2 x ND100	37.80	131.71	2 x ND100
FXVS 0809B-24D-ML	Water	33.10	102.00	2 x ND100	26.48	67.50	2 x ND100	39.72	142.92	2 x ND100
FXVS 0809B-24T-K	Water	26.60	22.00	1 x ND150	21.28	14.56	1 x ND150	31.92	30.83	1 x ND150
FXVS 0809B-24T-L	Water	29.30	26.00	1 x ND150	23.44	17.21	1 x ND150	35.16	36.43	1 x ND150
FXVS 0809B-24T-ML	Water	30.90	28.00	1 x ND150	24.72	18.53	1 x ND150	37.08	39.23	1 x ND150
FXVS 0809B-28D-K	Water	29.80	96.00	2 x ND100	23.84	63.53	2 x ND100	35.76	134.51	2 x ND100
FXVS 0809B-28D-L	Water	32.90	115.00	2 x ND100	26.32	76.11	2 x ND100	39.48	161.13	2 x ND100
FXVS 0809B-28D-ML	Water	34.70	126.00	2 x ND100	27.76	83.38	2 x ND100	41.64	176.55	2 x ND100
FXVS 0809B-30T-K	Water	28.70	30.00	1 x ND150	22.96	19.85	1 x ND150	34.44	42.03	1 x ND150
FXVS 0809B-30T-L	Water	31.70	36.00	1 x ND150	25.36	23.82	1 x ND150	38.04	50.44	1 x ND150
FXVS 0809B-30T-ML	Water	33.40	39.00	1 x ND150	26.72	25.81	1 x ND150	40.08	54.64	1 x ND150
FXVS 0809B-32D-K	Water	30.70	114.00	2 x ND100	24.56	75.44	2 x ND100	36.84	159.73	2 x ND100
FXVS 0809B-32D-L	Water	34.00	137.00	2 x ND100	27.20	90.66	2 x ND100	40.80	191.96	2 x ND100
FXVS 0809B-32D-ML	Water	35.80	151.00	2 x ND100	28.64	99.93	2 x ND100	42.96	211.57	2 x ND100
FXVS 0809B-36D-K	Water	32.00	136.00	2 x ND100	25.60	90.00	2 x ND100	38.40	190.56	2 x ND100
FXVS 0809B-36D-L	Water	35.40	163.00	2 x ND100	28.32	107.87	2 x ND100	42.48	228.39	2 x ND100
FXVS 0809B-36D-ML	Water	37.30	179.00	2 x ND100	29.84	118.46	2 x ND100	44.76	250.81	2 x ND100
FXVS 0809B-36T-K	Water	30.10	39.00	1 x ND150	24.08	25.81	1 x ND150	36.12	54.64	1 x ND150

FXVS 0809B-36T-L	Water	33.40	47.00	1 x ND150	26.72	31.10	1 x ND150	40.08	65.85	1 x ND150
FXVS 0809B-36T-ML	Water	35.20	51.00	1 x ND150	28.16	33.75	1 x ND150	42.24	71.46	1 x ND150
FXVS 0812B-12D-K	Water	28.40	54.00	2 x ND100	22.72	35.74	2 x ND100	34.08	75.66	2 x ND100
FXVS 0812B-12D-L	Water	31.00	63.00	2 x ND100	24.80	41.69	2 x ND100	37.20	88.27	2 x ND100
FXVS 0812B-12D-M	Water	33.00	71.00	2 x ND100	26.40	46.99	2 x ND100	39.60	99.48	2 x ND100
FXVS 0812B-12D-O	Water	35.20	79.00	2 x ND100	28.16	52.28	2 x ND100	42.24	110.69	2 x ND100
FXVS 0812B-16D-K	Water	31.60	82.00	2 x ND100	25.28	54.27	2 x ND100	37.92	114.89	2 x ND100
FXVS 0812B-16D-L	Water	34.70	97.00	2 x ND100	27.76	64.19	2 x ND100	41.64	135.91	2 x ND100
FXVS 0812B-16D-M	Water	36.90	108.00	2 x ND100	29.52	71.47	2 x ND100	44.28	151.32	2 x ND100
FXVS 0812B-16D-O	Water	39.50	122.00	2 x ND100	31.60	80.74	2 x ND100	47.40	170.94	2 x ND100
FXVS 0812B-16Q-K	Water	27.20	10.00	1 x ND150	21.76	6.62	1 x ND150	32.64	14.01	1 x ND150
FXVS 0812B-16Q-L	Water	29.80	12.00	1 x ND150	23.84	7.94	1 x ND150	35.76	16.81	1 x ND150
FXVS 0812B-16Q-M	Water	31.70	13.00	1 x ND150	25.36	8.60	1 x ND150	38.04	18.21	1 x ND150
FXVS 0812B-16Q-O	Water	33.90	15.00	1 x ND150	27.12	9.93	1 x ND150	40.68	21.02	1 x ND150
FXVS 0812B-20D-K	Water	33.90	112.00	2 x ND100	27.12	74.12	2 x ND100	40.68	156.93	2 x ND100
FXVS 0812B-20D-L	Water	37.20	132.00	2 x ND100	29.76	87.36	2 x ND100	44.64	184.95	2 x ND100
FXVS 0812B-20D-M	Water	39.70	148.00	2 x ND100	31.76	97.94	2 x ND100	47.64	207.37	2 x ND100
FXVS 0812B-20D-O	Water	42.50	168.00	2 x ND100	34.00	111.18	2 x ND100	51.00	235.39	2 x ND100
FXVS 0812B-24Q-K	Water	34.80	21.00	1 x ND150	27.84	13.90	1 x ND150	41.76	29.42	1 x ND150
FXVS 0812B-24Q-L	Water	38.50	25.00	1 x ND150	30.80	16.54	1 x ND150	46.20	35.03	1 x ND150
FXVS 0812B-24Q-M	Water	41.30	29.00	1 x ND150	33.04	19.19	1 x ND150	49.56	40.63	1 x ND150
FXVS 0812B-24Q-O	Water	44.60	33.00	1 x ND150	35.68	21.84	1 x ND150	53.52	46.24	1 x ND150
FXVS 0812B-24T-K	Water	36.40	47.00	1 x ND150	29.12	31.10	1 x ND150	43.68	65.85	1 x ND150
FXVS 0812B-24T-L	Water	40.40	57.00	1 x ND150	32.32	37.72	1 x ND150	48.48	79.87	1 x ND150
FXVS 0812B-24T-M	Water	43.30	64.00	1 x ND150	34.64	42.35	1 x ND150	51.96	89.67	1 x ND150
FXVS 0812B-24T-O	Water	46.80	74.00	1 x ND150	37.44	48.97	1 x ND150	56.16	103.69	1 x ND150
FXVS 0812B-30T-K	Water	38.70	64.00	1 x ND150	30.96	42.35	1 x ND150	46.44	89.67	1 x ND150
FXVS 0812B-30T-L	Water	43.00	78.00	1 x ND150	34.40	51.62	1 x ND150	51.60	109.29	1 x ND150
FXVS 0812B-30T-M	Water	46.20	88.00	1 x ND150	36.96	58.24	1 x ND150	55.44	123.30	1 x ND150
FXVS 0812B-30T-O	Water	49.90	101.00	1 x ND150	39.92	66.84	1 x ND150	59.88	141.52	1 x ND150
FXVS 0812B-32Q-K	Water	37.90	31.00	1 x ND150	30.32	20.52	1 x ND150	45.48	43.44	1 x ND150
FXVS 0812B-32Q-L	Water	42.10	38.00	1 x ND150	33.68	25.15	1 x ND150	50.52	53.24	1 x ND150
FXVS 0812B-32Q-M	Water	45.20	43.00	1 x ND150	36.16	28.46	1 x ND150	54.24	60.25	1 x ND150
FXVS 0812B-32Q-O	Water	48.90	50.00	1 x ND150	39.12	33.09	1 x ND150	58.68	70.06	1 x ND150
FXVS 0812B-36T-K	Water	40.30	82.00	1 x ND150	32.24	54.27	1 x ND150	48.36	114.89	1 x ND150
FXVS 0812B-36T-L	Water	44.90	99.00	1 x ND150	35.92	65.52	1 x ND150	53.88	138.71	1 x ND150
FXVS 0812B-36T-M	Water	48.20	113.00	1 x ND150	38.56	74.78	1 x ND150	57.84	158.33	1 x ND150
FXVS 0812B-36T-O	Water	52.20	130.00	1 x ND150	41.76	86.03	1 x ND150	62.64	182.15	1 x ND150
FXVS 0818B-24Q-K	Water	57.00	70.00	1 x ND200	45.60	46.32	1 x ND200	68.40	98.08	1 x ND200
FXVS 0818B-24Q-L	Water	62.70	83.00	1 x ND200	50.16	54.93	1 x ND200	75.24	116.30	1 x ND200
FXVS 0818B-24Q-M	Water	66.80	93.00	1 x ND200	53.44	61.55	1 x ND200	80.16	130.31	1 x ND200
FXVS 0818B-24T-K	Water	58.80	154.00	2 x ND150	47.04	101.91	2 x ND150	70.56	215.78	2 x ND150
FXVS 0818B-24T-L	Water	64.50	182.00	2 x ND150	51.60	120.44	2 x ND150	77.40	255.01	2 x ND150
FXVS 0818B-24T-M	Water	68.70	204.00	2 x ND150	54.96	135.00	2 x ND150	82.44	285.84	2 x ND150
FXVS 0818B-32Q-K	Water	61.20	101.00	1 x ND200	48.96	66.84	1 x ND200	73.44	141.52	1 x ND200
FXVS 0818B-32Q-L	Water	67.40	121.00	1 x ND200	53.92	80.08	1 x ND200	80.88	169.54	1 x ND200
FXVS 0818B-32Q-M	Water	71.90	135.00	1 x ND200	57.52	89.34	1 x ND200	86.28	189.16	1 x ND200
FXVS 0818B-32Q-O	Water	77.00	153.00	1 x ND200	61.60	101.25	1 x ND200	92.40	214.38	1 x ND200
FXVS 0818B-36H-K	Water	60.10	36.00	1 x ND200	48.08	23.82	1 x ND200	72.12	50.44	1 x ND200
FXVS 0818B-36H-L	Water	66.20	42.00	1 x ND200	52.96	27.79	1 x ND200	79.44	58.85	1 x ND200
FXVS 0818B-36H-M	Water	70.60	48.00	1 x ND200	56.48	31.77	1 x ND200	84.72	67.26	1 x ND200
FXVS 0818B-36H-O	Water	75.80	54.00	1 x ND200	60.64	35.74	1 x ND200	90.96	75.66	1 x ND200
FXVS 1012C-12D-K	Water	32.30	41.00	2 x ND100	25.84	27.13	2 x ND100	38.76	57.45	2 x ND100
FXVS 1012C-12D-L	Water	35.50	49.00	2 x ND100	28.40	32.43	2 x ND100	42.60	68.66	2 x ND100
FXVS 1012C-12D-M	Water	37.80	55.00	2 x ND100	30.24	36.40	2 x ND100	45.36	77.06	2 x ND100
FXVS 1012C-12D-O	Water	40.60	62.00	2 x ND100	32.48	41.03	2 x ND100	48.72	86.87	2 x ND100
FXVS 1012C-16D-K	Water	35.80	60.00	2 x ND100	28.64	39.71	2 x ND100	42.96	84.07	2 x ND100
FXVS 1012C-16D-L	Water	39.40	71.00	2 x ND100	31.52	46.99	2 x ND100	47.28	99.48	2 x ND100
FXVS 1012C-16D-M	Water	42.10	80.00	2 x ND100	33.68	52.94	2 x ND100	50.52	112.09	2 x ND100
FXVS 1012C-16D-O	Water	45.30	91.00	2 x ND100	36.24	60.22	2 x ND100	54.36	127.50	2 x ND100
FXVS 1012C-16Q-K	Water	31.10	8.00	1 x ND150	24.88	5.29	1 x ND150	37.32	11.21	1 x ND150
FXVS 1012C-16Q-L	Water	34.20	9.00	1 x ND150	27.36	5.96	1 x ND150	41.04	12.61	1 x ND150
FXVS 1012C-16Q-M	Water	36.50	10.00	1 x ND150	29.20	6.62	1 x ND150	43.80	14.01	1 x ND150
FXVS 1012C-16Q-O	Water	39.20	12.00	1 x ND150	31.36	7.94	1 x ND150	47.04	16.81	1 x ND150
FXVS 1012C-20D-K	Water	38.30	79.00	2 x ND100	30.64	52.28	2 x ND100	45.96	110.69	2 x ND100
FXVS 1012C-20D-L	Water	42.40	95.00	2 x ND100	33.92	62.87	2 x ND100	50.88	133.11	2 x ND100
FXVS 1012C-20D-M	Water	45.30	107.00	2 x ND100	36.24	70.81	2 x ND100	54.36	149.92	2 x ND100

FXVS 1012C-20D-O	Water	48.80	123.00	2 x ND100	39.04	81.40	2 x ND100	58.56	172.34	2 x ND100
FXVS 1012C-24D-K	Water	43.00	112.00	2 x ND100	34.40	74.12	2 x ND100	51.60	156.93	2 x ND100
FXVS 1012C-24D-L	Water	48.00	136.00	2 x ND100	38.40	90.00	2 x ND100	57.60	190.56	2 x ND100
FXVS 1012C-24D-M	Water	51.70	156.00	3 x ND100	41.36	103.24	3 x ND100	62.04	218.58	3 x ND100
FXVS 1012C-24D-O	Water	56.20	181.00	3 x ND100	44.96	119.78	3 x ND100	67.44	253.61	3 x ND100
FXVS 1012C-24Q-K	Water	39.20	15.00	1 x ND150	31.36	9.93	1 x ND150	47.04	21.02	1 x ND150
FXVS 1012C-24Q-L	Water	43.60	19.00	1 x ND150	34.88	12.57	1 x ND150	52.32	26.62	1 x ND150
FXVS 1012C-24Q-M	Water	47.00	21.00	1 x ND150	37.60	13.90	1 x ND150	56.40	29.42	1 x ND150
FXVS 1012C-24Q-O	Water	50.90	25.00	1 x ND150	40.72	16.54	1 x ND150	61.08	35.03	1 x ND150
FXVS 1012C-24T-K	Water	40.90	31.00	1 x ND150	32.72	20.52	1 x ND150	49.08	43.44	1 x ND150
FXVS 1012C-24T-L	Water	45.60	38.00	1 x ND150	36.48	25.15	1 x ND150	54.72	53.24	1 x ND150
FXVS 1012C-24T-M	Water	49.10	43.00	1 x ND150	39.28	28.46	1 x ND150	58.92	60.25	1 x ND150
FXVS 1012C-24T-O	Water	53.30	50.00	1 x ND150	42.64	33.09	1 x ND150	63.96	70.06	1 x ND150
FXVS 1012C-28D-K	Water	44.60	135.00	2 x ND100	35.68	89.34	2 x ND100	53.52	189.16	2 x ND100
FXVS 1012C-28D-L	Water	49.90	165.00	2 x ND100	39.92	109.19	2 x ND100	59.88	231.19	2 x ND100
FXVS 1012C-28D-M	Water	53.80	189.00	3 x ND100	43.04	125.08	3 x ND100	64.56	264.82	3 x ND100
FXVS 1012C-30T-K	Water	43.40	41.00	1 x ND150	34.72	27.13	1 x ND150	52.08	57.45	1 x ND150
FXVS 1012C-30T-L	Water	48.50	51.00	1 x ND150	38.80	33.75	1 x ND150	58.20	71.46	1 x ND150
FXVS 1012C-30T-M	Water	52.40	58.00	1 x ND150	41.92	38.38	1 x ND150	62.88	81.27	1 x ND150
FXVS 1012C-30T-O	Water	56.90	67.00	2 x ND150	45.52	44.34	2 x ND150	68.28	93.88	2 x ND150
FXVS 1012C-32Q-K	Water	42.60	22.00	1 x ND150	34.08	14.56	1 x ND150	51.12	30.83	1 x ND150
FXVS 1012C-32Q-L	Water	47.60	27.00	1 x ND150	38.08	17.87	1 x ND150	57.12	37.83	1 x ND150
FXVS 1012C-32Q-M	Water	51.40	31.00	1 x ND150	41.12	20.52	1 x ND150	61.68	43.44	1 x ND150
FXVS 1012C-32Q-O	Water	55.80	36.00	1 x ND150	44.64	23.82	1 x ND150	66.96	50.44	1 x ND150
FXVS 1012C-36T-K	Water	45.20	52.00	1 x ND150	36.16	34.41	1 x ND150	54.24	72.86	1 x ND150
FXVS 1012C-36T-L	Water	50.70	64.00	1 x ND150	40.56	42.35	1 x ND150	60.84	89.67	1 x ND150
FXVS 1012C-36T-M	Water	54.70	74.00	1 x ND150	43.76	48.97	1 x ND150	65.64	103.69	1 x ND150
FXVS 1012C-36T-O	Water	59.60	86.00	2 x ND150	47.68	56.91	2 x ND150	71.52	120.50	2 x ND150
FXVS 1018C-24Q-K	Water	63.10	47.00	1 x ND200	50.48	31.10	1 x ND200	75.72	65.85	1 x ND200
FXVS 1018C-24Q-L	Water	70.30	57.00	1 x ND200	56.24	37.72	1 x ND200	84.36	79.87	1 x ND200
FXVS 1018C-24Q-M	Water	75.80	65.00	1 x ND200	60.64	43.02	1 x ND200	90.96	91.07	1 x ND200
FXVS 1018C-24Q-O	Water	82.20	75.00	1 x ND200	65.76	49.63	1 x ND200	98.64	105.09	1 x ND200
FXVS 1018C-24Q-P	Water	88.10	85.00	1 x ND200	70.48	56.25	1 x ND200	105.72	119.10	1 x ND200
FXVS 1018C-24T-K	Water	65.10	96.00	2 x ND150	52.08	63.53	2 x ND150	78.12	134.51	2 x ND150
FXVS 1018C-24T-L	Water	72.60	117.00	2 x ND150	58.08	77.43	2 x ND150	87.12	163.93	2 x ND150
FXVS 1018C-24T-M	Water	78.30	134.00	2 x ND150	62.64	88.68	2 x ND150	93.96	187.75	2 x ND150
FXVS 1018C-24T-O	Water	84.90	155.00	2 x ND150	67.92	102.58	2 x ND150	101.88	217.18	2 x ND150
FXVS 1018C-24T-P	Water	90.90	176.00	2 x ND150	72.72	116.47	2 x ND150	109.08	246.60	2 x ND150
FXVS 1018C-32Q-K	Water	67.60	66.00	1 x ND200	54.08	43.68	1 x ND200	81.12	92.48	1 x ND200
FXVS 1018C-32Q-L	Water	75.60	81.00	1 x ND200	60.48	53.60	1 x ND200	90.72	113.49	1 x ND200
FXVS 1018C-32Q-M	Water	81.60	93.00	1 x ND200	65.28	61.55	1 x ND200	97.92	130.31	1 x ND200
FXVS 1018C-32Q-O	Water	88.70	108.00	1 x ND200	70.96	71.47	1 x ND200	106.44	151.32	1 x ND200
FXVS 1018C-32Q-P	Water	95.20	123.00	1 x ND200	76.16	81.40	1 x ND200	114.24	172.34	1 x ND200
FXVS 1018C-36H-K	Water	66.60	23.00	1 x ND200	53.28	15.22	1 x ND200	79.92	32.23	1 x ND200
FXVS 1018C-36H-L	Water	74.40	28.00	1 x ND200	59.52	18.53	1 x ND200	89.28	39.23	1 x ND200
FXVS 1018C-36H-M	Water	80.30	33.00	1 x ND200	64.24	21.84	1 x ND200	96.36	46.24	1 x ND200
FXVS 1018C-36H-O	Water	87.30	38.00	1 x ND200	69.84	25.15	1 x ND200	104.76	53.24	1 x ND200
FXVS 1018C-36H-P	Water	93.70	43.00	1 x ND200	74.96	28.46	1 x ND200	112.44	60.25	1 x ND200
FXVS 1212C-12D-K	Water	36.20	45.00	2 x ND100	28.96	29.78	2 x ND100	43.44	63.05	2 x ND100
FXVS 1212C-12D-L	Water	39.60	53.00	2 x ND100	31.68	35.07	2 x ND100	47.52	74.26	2 x ND100
FXVS 1212C-12D-M	Water	42.20	59.00	2 x ND100	33.76	39.05	2 x ND100	50.64	82.67	2 x ND100
FXVS 1212C-12D-O	Water	45.90	69.00	2 x ND100	36.72	45.66	2 x ND100	55.08	96.68	2 x ND100
FXVS 1212C-12D-P	Water	49.20	78.00	2 x ND100	39.36	51.62	2 x ND100	59.04	109.29	2 x ND100
FXVS 1212C-16D-K	Water	40.20	64.00	2 x ND100	32.16	42.35	2 x ND100	48.24	89.67	2 x ND100
FXVS 1212C-16D-L	Water	44.20	76.00	2 x ND100	35.36	50.30	2 x ND100	53.04	106.49	2 x ND100
FXVS 1212C-16D-M	Water	47.10	85.00	2 x ND100	37.68	56.25	2 x ND100	56.52	119.10	2 x ND100
FXVS 1212C-16D-O	Water	51.30	99.00	3 x ND100	41.04	65.52	3 x ND100	61.56	138.71	3 x ND100
FXVS 1212C-16D-P	Water	55.10	113.00	3 x ND100	44.08	74.78	3 x ND100	66.12	158.33	3 x ND100
FXVS 1212C-16Q-K	Water	35.00	9.00	1 x ND150	28.00	5.96	1 x ND150	42.00	12.61	1 x ND150
FXVS 1212C-16Q-L	Water	38.30	10.00	1 x ND150	30.64	6.62	1 x ND150	45.96	14.01	1 x ND150
FXVS 1212C-16Q-M	Water	40.70	11.00	1 x ND150	32.56	7.28	1 x ND150	48.84	15.41	1 x ND150
FXVS 1212C-16Q-O	Water	44.20	13.00	1 x ND150	35.36	8.60	1 x ND150	53.04	18.21	1 x ND150
FXVS 1212C-16Q-P	Water	47.40	15.00	1 x ND150	37.92	9.93	1 x ND150	56.88	21.02	1 x ND150
FXVS 1212C-20D-K	Water	43.20	85.00	2 x ND100	34.56	56.25	2 x ND100	51.84	119.10	2 x ND100
FXVS 1212C-20D-L	Water	47.50	101.00	2 x ND100	38.00	66.84	2 x ND100	57.00	141.52	2 x ND100
FXVS 1212C-20D-M	Water	50.70	114.00	3 x ND100	40.56	75.44	3 x ND100	60.84	159.73	3 x ND100
FXVS 1212C-20D-O	Water	55.30	133.00	3 x ND100	44.24	88.02	3 x ND100	66.36	186.35	3 x ND100

FXVS 1212C-20D-P	Water	59.50	152.00	3 x ND100	47.60	100.59	3 x ND100	71.40	212.98	3 x ND100
FXVS 1212C-24D-K	Water	48.90	120.00	2 x ND100	39.12	79.41	2 x ND100	58.68	168.14	2 x ND100
FXVS 1212C-24D-L	Water	54.40	146.00	3 x ND100	43.52	96.62	3 x ND100	65.28	204.57	3 x ND100
FXVS 1212C-24D-M	Water	58.40	166.00	3 x ND100	46.72	109.86	3 x ND100	70.08	232.59	3 x ND100
FXVS 1212C-24D-O	Water	64.30	197.00	3 x ND100	51.44	130.37	3 x ND100	77.16	276.03	3 x ND100
FXVS 1212C-24D-P	Water	69.50	227.00	3 x ND100	55.60	150.23	3 x ND100	83.40	318.06	3 x ND100
FXVS 1212C-24Q-K	Water	44.60	17.00	1 x ND150	35.68	11.25	1 x ND150	53.52	23.82	1 x ND150
FXVS 1212C-24Q-L	Water	49.50	21.00	1 x ND150	39.60	13.90	1 x ND150	59.40	29.42	1 x ND150
FXVS 1212C-24Q-M	Water	53.00	23.00	1 x ND150	42.40	15.22	1 x ND150	63.60	32.23	1 x ND150
FXVS 1212C-24Q-O	Water	58.30	28.00	1 x ND200	46.64	18.53	1 x ND200	69.96	39.23	1 x ND200
FXVS 1212C-24Q-P	Water	63.00	32.00	1 x ND200	50.40	21.18	1 x ND200	75.60	44.84	1 x ND200
FXVS 1212C-24T-K	Water	46.50	33.00	1 x ND150	37.20	21.84	1 x ND150	55.80	46.24	1 x ND150
FXVS 1212C-24T-L	Water	51.70	40.00	1 x ND150	41.36	26.47	1 x ND150	62.04	56.05	1 x ND150
FXVS 1212C-24T-M	Water	55.50	45.00	1 x ND150	44.40	29.78	1 x ND150	66.60	63.05	1 x ND150
FXVS 1212C-24T-O	Water	61.10	54.00	2 x ND150	48.88	35.74	2 x ND150	73.32	75.66	2 x ND150
FXVS 1212C-24T-P	Water	66.20	62.00	2 x ND150	52.96	41.03	2 x ND150	79.44	86.87	2 x ND150
FXVS 1212C-28D-K	Water	50.80	146.00	3 x ND100	40.64	96.62	3 x ND100	60.96	204.57	3 x ND100
FXVS 1212C-28D-L	Water	56.50	177.00	3 x ND100	45.20	117.14	3 x ND100	67.80	248.00	3 x ND100
FXVS 1212C-28D-M	Water	60.70	201.00	3 x ND100	48.56	133.02	3 x ND100	72.84	281.63	3 x ND100
FXVS 1212C-28D-O	Water	66.80	239.00	3 x ND100	53.44	158.17	3 x ND100	80.16	334.88	3 x ND100
FXVS 1212C-30T-K	Water	49.40	44.00	1 x ND150	39.52	29.12	1 x ND150	59.28	61.65	1 x ND150
FXVS 1212C-30T-L	Water	55.00	53.00	1 x ND150	44.00	35.07	1 x ND150	66.00	74.26	1 x ND150
FXVS 1212C-30T-M	Water	59.20	61.00	2 x ND150	47.36	40.37	2 x ND150	71.04	85.47	2 x ND150
FXVS 1212C-30T-O	Water	65.30	73.00	2 x ND150	52.24	48.31	2 x ND150	78.36	102.28	2 x ND150
FXVS 1212C-30T-P	Water	70.80	84.00	2 x ND150	56.64	55.59	2 x ND150	84.96	117.70	2 x ND150
FXVS 1212C-32Q-K	Water	48.60	24.00	1 x ND150	38.88	15.88	1 x ND150	58.32	33.63	1 x ND150
FXVS 1212C-32Q-L	Water	53.90	29.00	1 x ND150	43.12	19.19	1 x ND150	64.68	40.63	1 x ND150
FXVS 1212C-32Q-M	Water	58.00	33.00	1 x ND200	46.40	21.84	1 x ND200	69.60	46.24	1 x ND200
FXVS 1212C-32Q-O	Water	63.90	39.00	1 x ND200	51.12	25.81	1 x ND200	76.68	54.64	1 x ND200
FXVS 1212C-32Q-P	Water	69.20	45.00	1 x ND200	55.36	29.78	1 x ND200	83.04	63.05	1 x ND200
FXVS 1212C-36T-K	Water	51.60	55.00	1 x ND150	41.28	36.40	1 x ND150	61.92	77.06	1 x ND150
FXVS 1212C-36T-L	Water	57.50	67.00	2 x ND150	46.00	44.34	2 x ND150	69.00	93.88	2 x ND150
FXVS 1212C-36T-M	Water	61.90	77.00	2 x ND150	49.52	50.96	2 x ND150	74.28	107.89	2 x ND150
FXVS 1212C-36T-O	Water	68.30	92.00	2 x ND150	54.64	60.88	2 x ND150	81.96	128.91	2 x ND150
FXVS 1212C-36T-P	Water	74.20	106.00	2 x ND150	59.36	70.15	2 x ND150	89.04	148.52	2 x ND150
FXVS 1218C-24Q-K	Water	73.10	52.00	1 x ND200	58.48	34.41	1 x ND200	87.72	72.86	1 x ND200
FXVS 1218C-24Q-L	Water	81.10	63.00	1 x ND200	64.88	41.69	1 x ND200	97.32	88.27	1 x ND200
FXVS 1218C-24Q-M	Water	87.10	72.00	1 x ND200	69.68	47.65	1 x ND200	104.52	100.88	1 x ND200
FXVS 1218C-24Q-O	Water	95.90	85.00	1 x ND200	76.72	56.25	1 x ND200	115.08	119.10	1 x ND200
FXVS 1218C-24Q-P	Water	103.80	98.00	2 x ND200	83.04	64.85	2 x ND200	124.56	137.31	2 x ND200
FXVS 1218C-24T-K	Water	75.40	105.00	2 x ND150	60.32	69.49	2 x ND150	90.48	147.12	2 x ND150
FXVS 1218C-24T-L	Water	83.70	126.00	2 x ND150	66.96	83.38	2 x ND150	100.44	176.55	2 x ND150
FXVS 1218C-24T-M	Water	89.90	144.00	2 x ND150	71.92	95.30	2 x ND150	107.88	201.77	2 x ND150
FXVS 1218C-24T-O	Water	98.80	170.00	2 x ND150	79.04	112.50	2 x ND150	118.56	238.20	2 x ND150
FXVS 1218C-24T-P	Water	106.80	196.00	2 x ND150	85.44	129.71	2 x ND150	128.16	274.63	2 x ND150
FXVS 1218C-32Q-K	Water	78.50	74.00	1 x ND200	62.80	48.97	1 x ND200	94.20	103.69	1 x ND200
FXVS 1218C-32Q-L	Water	87.40	90.00	1 x ND200	69.92	59.56	1 x ND200	104.88	126.10	1 x ND200
FXVS 1218C-32Q-M	Water	94.00	103.00	1 x ND200	75.20	68.16	1 x ND200	112.80	144.32	1 x ND200
FXVS 1218C-32Q-O	Water	103.50	122.00	2 x ND200	82.80	80.74	2 x ND200	124.20	170.94	2 x ND200
FXVS 1218C-32Q-P	Water	112.20	141.00	2 x ND200	89.76	93.31	2 x ND200	134.64	197.56	2 x ND200
FXVS 1218C-36H-K	Water	77.30	26.00	1 x ND200	61.84	17.21	1 x ND200	92.76	36.43	1 x ND200
FXVS 1218C-36H-L	Water	86.00	32.00	1 x ND200	68.80	21.18	1 x ND200	103.20	44.84	1 x ND200
FXVS 1218C-36H-M	Water	92.50	36.00	1 x ND200	74.00	23.82	1 x ND200	111.00	50.44	1 x ND200
FXVS 1218C-36H-O	Water	102.00	43.00	2 x ND200	81.60	28.46	2 x ND200	122.40	60.25	2 x ND200
FXVS 1218C-36H-P	Water	110.60	50.00	2 x ND200	88.48	33.09	2 x ND200	132.72	70.06	2 x ND200
FXVS 0806B-12D-G	30% Ethylene Glycol	9.60	5.67	1 x ND100	7.68	3.75	1 x ND100	11.52	7.94	1 x ND100
FXVS 0806B-12D-H	30% Ethylene Glycol	10.60	6.80	1 x ND100	8.48	4.50	1 x ND100	12.72	9.53	1 x ND100
FXVS 0806B-12D-J	30% Ethylene Glycol	11.50	7.93	1 x ND100	9.20	5.25	1 x ND100	13.80	11.12	1 x ND100
FXVS 0806B-12D-K	30% Ethylene Glycol	12.20	9.07	1 x ND100	9.76	6.00	1 x ND100	14.64	12.70	1 x ND100
FXVS 0806B-12D-L	30% Ethylene Glycol	12.90	10.20	1 x ND100	10.32	6.75	1 x ND100	15.48	14.29	1 x ND100
FXVS 0806B-16D-G	30% Ethylene Glycol	11.20	9.07	1 x ND100	8.96	6.00	1 x ND100	13.44	12.70	1 x ND100
FXVS 0806B-16D-H	30% Ethylene Glycol	12.60	11.33	1 x ND100	10.08	7.50	1 x ND100	15.12	15.88	1 x ND100
FXVS 0806B-16D-J	30% Ethylene Glycol	13.70	13.60	1 x ND100	10.96	9.00	1 x ND100	16.44	19.06	1 x ND100
FXVS 0806B-16D-K	30% Ethylene Glycol	14.50	14.73	1 x ND100	11.60	9.75	1 x ND100	17.40	20.64	1 x ND100
FXVS 0806B-16D-L	30% Ethylene Glycol	15.40	17.00	1 x ND100	12.32	11.25	1 x ND100	18.48	23.82	1 x ND100
FXVS 0806B-20D-G	30% Ethylene Glycol	12.40	13.60	1 x ND100	9.92	9.00	1 x ND100	14.88	19.06	1 x ND100
FXVS 0806B-20D-H	30% Ethylene Glycol	13.90	15.87	1 x ND100	11.12	10.50	1 x ND100	16.68	22.23	1 x ND100

FXVS 0806B-20D-J	30% Ethylene Glycol	15.20	19.27	1 x ND100	12.16	12.75	1 x ND100	18.24	27.00	1 x ND100
FXVS 0806B-20D-K	30% Ethylene Glycol	16.10	21.53	1 x ND100	12.88	14.25	1 x ND100	19.32	30.17	1 x ND100
FXVS 0806B-20D-L	30% Ethylene Glycol	17.20	23.80	1 x ND100	13.76	15.75	1 x ND100	20.64	33.35	1 x ND100
FXVS 0806B-24D-G	30% Ethylene Glycol	14.20	19.27	1 x ND100	11.36	12.75	1 x ND100	17.04	27.00	1 x ND100
FXVS 0806B-24D-H	30% Ethylene Glycol	16.20	24.93	1 x ND100	12.96	16.50	1 x ND100	19.44	34.94	1 x ND100
FXVS 0806B-24D-J	30% Ethylene Glycol	17.80	29.47	1 x ND100	14.24	19.50	1 x ND100	21.36	41.29	1 x ND100
FXVS 0806B-24D-K	30% Ethylene Glycol	19.00	32.87	1 x ND100	15.20	21.75	1 x ND100	22.80	46.05	1 x ND100
FXVS 0806B-24D-L	30% Ethylene Glycol	20.40	37.40	1 x ND100	16.32	24.75	1 x ND100	24.48	52.40	1 x ND100
FXVS 0806B-28D-G	30% Ethylene Glycol	14.90	23.80	1 x ND100	11.92	15.75	1 x ND100	17.88	33.35	1 x ND100
FXVS 0806B-28D-H	30% Ethylene Glycol	17.00	30.60	1 x ND100	13.60	20.25	1 x ND100	20.40	42.88	1 x ND100
FXVS 0806B-28D-J	30% Ethylene Glycol	18.80	36.27	1 x ND100	15.04	24.00	1 x ND100	22.56	50.82	1 x ND100
FXVS 0806B-28D-K	30% Ethylene Glycol	20.10	40.80	1 x ND100	16.08	27.00	1 x ND100	24.12	57.17	1 x ND100
FXVS 0806B-28D-L	30% Ethylene Glycol	21.60	46.47	1 x ND100	17.28	30.75	1 x ND100	25.92	65.11	1 x ND100
FXVS 0806B-32D-G	30% Ethylene Glycol	15.50	28.33	1 x ND100	12.40	18.75	1 x ND100	18.60	39.70	1 x ND100
FXVS 0806B-32D-H	30% Ethylene Glycol	17.70	36.27	1 x ND100	14.16	24.00	1 x ND100	21.24	50.82	1 x ND100
FXVS 0806B-32D-J	30% Ethylene Glycol	19.50	43.07	1 x ND100	15.60	28.50	1 x ND100	23.40	60.34	1 x ND100
FXVS 0806B-32D-K	30% Ethylene Glycol	20.90	48.73	1 x ND100	16.72	32.25	1 x ND100	25.08	68.28	1 x ND100
FXVS 0806B-32D-L	30% Ethylene Glycol	22.50	55.53	1 x ND100	18.00	36.75	1 x ND100	27.00	77.81	1 x ND100
FXVS 0806B-36D-G	30% Ethylene Glycol	16.00	34.00	1 x ND100	12.80	22.50	1 x ND100	19.20	47.64	1 x ND100
FXVS 0806B-36D-H	30% Ethylene Glycol	18.30	43.07	1 x ND100	14.64	28.50	1 x ND100	21.96	60.34	1 x ND100
FXVS 0806B-36D-J	30% Ethylene Glycol	20.20	51.00	1 x ND100	16.16	33.75	1 x ND100	24.24	71.46	1 x ND100
FXVS 0806B-36D-K	30% Ethylene Glycol	21.60	57.80	1 x ND100	17.28	38.25	1 x ND100	25.92	80.99	1 x ND100
FXVS 0806B-36D-L	30% Ethylene Glycol	23.30	65.73	1 x ND100	18.64	43.50	1 x ND100	27.96	92.10	1 x ND100
FXVS 0809B-16D-K	30% Ethylene Glycol	22.80	41.93	1 x ND100	18.24	27.75	1 x ND100	27.36	58.76	1 x ND100
FXVS 0809B-16D-L	30% Ethylene Glycol	24.90	49.87	1 x ND100	19.92	33.00	1 x ND100	29.88	69.87	1 x ND100
FXVS 0809B-16D-ML	30% Ethylene Glycol	26.10	54.40	2 x ND100	20.88	36.00	2 x ND100	31.32	76.22	2 x ND100
FXVS 0809B-20D-K	30% Ethylene Glycol	24.80	58.93	1 x ND100	19.84	39.00	1 x ND100	29.76	82.58	1 x ND100
FXVS 0809B-20D-L	30% Ethylene Glycol	27.20	69.13	2 x ND100	21.76	45.75	2 x ND100	32.64	96.87	2 x ND100
FXVS 0809B-20D-ML	30% Ethylene Glycol	28.50	75.93	2 x ND100	22.80	50.25	2 x ND100	34.20	106.39	2 x ND100
FXVS 0809B-24D-K	30% Ethylene Glycol	28.50	88.40	2 x ND100	22.80	58.50	2 x ND100	34.20	123.86	2 x ND100
FXVS 0809B-24D-L	30% Ethylene Glycol	31.50	106.53	2 x ND100	25.20	70.50	2 x ND100	37.80	149.27	2 x ND100
FXVS 0809B-24D-ML	30% Ethylene Glycol	33.10	115.60	2 x ND100	26.48	76.50	2 x ND100	39.72	161.97	2 x ND100
FXVS 0809B-24T-K	30% Ethylene Glycol	26.60	24.93	1 x ND150	21.28	16.50	1 x ND150	31.92	34.94	1 x ND150
FXVS 0809B-24T-L	30% Ethylene Glycol	29.30	29.47	1 x ND150	23.44	19.50	1 x ND150	35.16	41.29	1 x ND150
FXVS 0809B-24T-ML	30% Ethylene Glycol	30.90	31.73	1 x ND150	24.72	21.00	1 x ND150	37.08	44.46	1 x ND150
FXVS 0809B-28D-K	30% Ethylene Glycol	29.80	108.80	2 x ND100	23.84	72.00	2 x ND100	35.76	152.45	2 x ND100
FXVS 0809B-28D-L	30% Ethylene Glycol	32.90	130.33	2 x ND100	26.32	86.25	2 x ND100	39.48	182.62	2 x ND100
FXVS 0809B-28D-ML	30% Ethylene Glycol	34.70	142.80	2 x ND100	27.76	94.50	2 x ND100	41.64	200.09	2 x ND100
FXVS 0809B-30T-K	30% Ethylene Glycol	28.70	34.00	1 x ND150	22.96	22.50	1 x ND150	34.44	47.64	1 x ND150
FXVS 0809B-30T-L	30% Ethylene Glycol	31.70	40.80	1 x ND150	25.36	27.00	1 x ND150	38.04	57.17	1 x ND150
FXVS 0809B-30T-ML	30% Ethylene Glycol	33.40	44.20	1 x ND150	26.72	29.25	1 x ND150	40.08	61.93	1 x ND150
FXVS 0809B-32D-K	30% Ethylene Glycol	30.70	129.20	2 x ND100	24.56	85.50	2 x ND100	36.84	181.03	2 x ND100
FXVS 0809B-32D-L	30% Ethylene Glycol	34.00	155.27	2 x ND100	27.20	102.75	2 x ND100	40.80	217.55	2 x ND100
FXVS 0809B-32D-ML	30% Ethylene Glycol	35.80	171.13	2 x ND100	28.64	113.25	2 x ND100	42.96	239.79	2 x ND100
FXVS 0809B-36D-K	30% Ethylene Glycol	32.00	154.13	2 x ND100	25.60	102.00	2 x ND100	38.40	215.97	2 x ND100
FXVS 0809B-36D-L	30% Ethylene Glycol	35.40	184.73	2 x ND100	28.32	122.25	2 x ND100	42.48	258.84	2 x ND100
FXVS 0809B-36D-ML	30% Ethylene Glycol	37.30	202.87	2 x ND100	29.84	134.25	2 x ND100	44.76	284.25	2 x ND100
FXVS 0809B-36T-K	30% Ethylene Glycol	30.10	44.20	1 x ND150	24.08	29.25	1 x ND150	36.12	61.93	1 x ND150
FXVS 0809B-36T-L	30% Ethylene Glycol	33.40	53.27	1 x ND150	26.72	35.25	1 x ND150	40.08	74.64	1 x ND150
FXVS 0809B-36T-ML	30% Ethylene Glycol	35.20	57.80	1 x ND150	28.16	38.25	1 x ND150	42.24	80.99	1 x ND150
FXVS 0812B-12D-K	30% Ethylene Glycol	28.40	61.20	2 x ND100	22.72	40.50	2 x ND100	34.08	85.75	2 x ND100
FXVS 0812B-12D-L	30% Ethylene Glycol	31.00	71.40	2 x ND100	24.80	47.25	2 x ND100	37.20	100.04	2 x ND100
FXVS 0812B-12D-M	30% Ethylene Glycol	33.00	80.47	2 x ND100	26.40	53.25	2 x ND100	39.60	112.75	2 x ND100
FXVS 0812B-12D-O	30% Ethylene Glycol	35.20	89.53	2 x ND100	28.16	59.25	2 x ND100	42.24	125.45	2 x ND100
FXVS 0812B-16D-K	30% Ethylene Glycol	31.60	92.93	2 x ND100	25.28	61.50	2 x ND100	37.92	130.21	2 x ND100
FXVS 0812B-16D-L	30% Ethylene Glycol	34.70	109.93	2 x ND100	27.76	72.75	2 x ND100	41.64	154.03	2 x ND100
FXVS 0812B-16D-M	30% Ethylene Glycol	36.90	122.40	2 x ND100	29.52	81.00	2 x ND100	44.28	171.50	2 x ND100
FXVS 0812B-16D-O	30% Ethylene Glycol	39.50	138.27	2 x ND100	31.60	91.50	2 x ND100	47.40	193.73	2 x ND100
FXVS 0812B-16Q-K	30% Ethylene Glycol	27.20	11.33	1 x ND150	21.76	7.50	1 x ND150	32.64	15.88	1 x ND150
FXVS 0812B-16Q-L	30% Ethylene Glycol	29.80	13.60	1 x ND150	23.84	9.00	1 x ND150	35.76	19.06	1 x ND150
FXVS 0812B-16Q-M	30% Ethylene Glycol	31.70	14.73	1 x ND150	25.36	9.75	1 x ND150	38.04	20.64	1 x ND150
FXVS 0812B-16Q-O	30% Ethylene Glycol	33.90	17.00	1 x ND150	27.12	11.25	1 x ND150	40.68	23.82	1 x ND150
FXVS 0812B-20D-K	30% Ethylene Glycol	33.90	126.93	2 x ND100	27.12	84.00	2 x ND100	40.68	177.85	2 x ND100
FXVS 0812B-20D-L	30% Ethylene Glycol	37.20	149.60	2 x ND100	29.76	99.00	2 x ND100	44.64	209.61	2 x ND100
FXVS 0812B-20D-M	30% Ethylene Glycol	39.70	167.73	2 x ND100	31.76	111.00	2 x ND100	47.64	235.02	2 x ND100
FXVS 0812B-20D-O	30% Ethylene Glycol	42.50	190.40	2 x ND100	34.00	126.00	2 x ND100	51.00	266.78	2 x ND100
FXVS 0812B-24Q-K	30% Ethylene Glycol	34.80	23.80	1 x ND150	27.84	15.75	1 x ND150	41.76	33.35	1 x ND150

FXVS 0812B-24Q-L	30% Ethylene Glycol	38.50	28.33	1 x ND150	30.80	18.75	1 x ND150	46.20	39.70	1 x ND150
FXVS 0812B-24Q-M	30% Ethylene Glycol	41.30	32.87	1 x ND150	33.04	21.75	1 x ND150	49.56	46.05	1 x ND150
FXVS 0812B-24Q-O	30% Ethylene Glycol	44.60	37.40	1 x ND150	35.68	24.75	1 x ND150	53.52	52.40	1 x ND150
FXVS 0812B-24T-K	30% Ethylene Glycol	36.40	53.27	1 x ND150	29.12	35.25	1 x ND150	43.68	74.64	1 x ND150
FXVS 0812B-24T-L	30% Ethylene Glycol	40.40	64.60	1 x ND150	32.32	42.75	1 x ND150	48.48	90.51	1 x ND150
FXVS 0812B-24T-M	30% Ethylene Glycol	43.30	72.53	1 x ND150	34.64	48.00	1 x ND150	51.96	101.63	1 x ND150
FXVS 0812B-24T-O	30% Ethylene Glycol	46.80	83.87	1 x ND150	37.44	55.50	1 x ND150	56.16	117.51	1 x ND150
FXVS 0812B-30T-K	30% Ethylene Glycol	38.70	72.53	1 x ND150	30.96	48.00	1 x ND150	46.44	101.63	1 x ND150
FXVS 0812B-30T-L	30% Ethylene Glycol	43.00	88.40	1 x ND150	34.40	58.50	1 x ND150	51.60	123.86	1 x ND150
FXVS 0812B-30T-M	30% Ethylene Glycol	46.20	99.73	1 x ND150	36.96	66.00	1 x ND150	55.44	139.74	1 x ND150
FXVS 0812B-30T-O	30% Ethylene Glycol	49.90	114.47	1 x ND150	39.92	75.75	1 x ND150	59.88	160.39	1 x ND150
FXVS 0812B-32Q-K	30% Ethylene Glycol	37.90	35.13	1 x ND150	30.32	23.25	1 x ND150	45.48	49.23	1 x ND150
FXVS 0812B-32Q-L	30% Ethylene Glycol	42.10	43.07	1 x ND150	33.68	28.50	1 x ND150	50.52	60.34	1 x ND150
FXVS 0812B-32Q-M	30% Ethylene Glycol	45.20	48.73	1 x ND150	36.16	32.25	1 x ND150	54.24	68.28	1 x ND150
FXVS 0812B-32Q-O	30% Ethylene Glycol	48.90	56.67	1 x ND150	39.12	37.50	1 x ND150	58.68	79.40	1 x ND150
FXVS 0812B-36T-K	30% Ethylene Glycol	40.30	92.93	1 x ND150	32.24	61.50	1 x ND150	48.36	130.21	1 x ND150
FXVS 0812B-36T-L	30% Ethylene Glycol	44.90	112.20	1 x ND150	35.92	74.25	1 x ND150	53.88	157.21	1 x ND150
FXVS 0812B-36T-M	30% Ethylene Glycol	48.20	128.07	1 x ND150	38.56	84.75	1 x ND150	57.84	179.44	1 x ND150
FXVS 0812B-36T-O	30% Ethylene Glycol	52.20	147.33	1 x ND150	41.76	97.50	1 x ND150	62.64	206.44	1 x ND150
FXVS 0818B-24Q-K	30% Ethylene Glycol	57.00	79.33	1 x ND200	45.60	52.50	1 x ND200	68.40	111.16	1 x ND200
FXVS 0818B-24Q-L	30% Ethylene Glycol	62.70	94.07	1 x ND200	50.16	62.25	1 x ND200	75.24	131.80	1 x ND200
FXVS 0818B-24Q-M	30% Ethylene Glycol	66.80	105.40	1 x ND200	53.44	69.75	1 x ND200	80.16	147.68	1 x ND200
FXVS 0818B-24T-K	30% Ethylene Glycol	58.80	174.53	2 x ND150	47.04	115.50	2 x ND150	70.56	244.55	2 x ND150
FXVS 0818B-24T-L	30% Ethylene Glycol	64.50	206.27	2 x ND150	51.60	136.50	2 x ND150	77.40	289.01	2 x ND150
FXVS 0818B-24T-M	30% Ethylene Glycol	68.70	231.20	2 x ND150	54.96	153.01	2 x ND150	82.44	323.95	2 x ND150
FXVS 0818B-32Q-K	30% Ethylene Glycol	61.20	114.47	1 x ND200	48.96	75.75	1 x ND200	73.44	160.39	1 x ND200
FXVS 0818B-32Q-L	30% Ethylene Glycol	67.40	137.13	1 x ND200	53.92	90.75	1 x ND200	80.88	192.15	1 x ND200
FXVS 0818B-32Q-M	30% Ethylene Glycol	71.90	153.00	1 x ND200	57.52	101.25	1 x ND200	86.28	214.38	1 x ND200
FXVS 0818B-32Q-O	30% Ethylene Glycol	77.00	173.40	1 x ND200	61.60	114.75	1 x ND200	92.40	242.96	1 x ND200
FXVS 0818B-36H-K	30% Ethylene Glycol	60.10	40.80	1 x ND200	48.08	27.00	1 x ND200	72.12	57.17	1 x ND200
FXVS 0818B-36H-L	30% Ethylene Glycol	66.20	47.60	1 x ND200	52.96	31.50	1 x ND200	79.44	66.70	1 x ND200
FXVS 0818B-36H-M	30% Ethylene Glycol	70.60	54.40	1 x ND200	56.48	36.00	1 x ND200	84.72	76.22	1 x ND200
FXVS 0818B-36H-O	30% Ethylene Glycol	75.80	61.20	1 x ND200	60.64	40.50	1 x ND200	90.96	85.75	1 x ND200
FXVS 1012C-12D-K	30% Ethylene Glycol	32.30	46.47	2 x ND100	25.84	30.75	2 x ND100	38.76	65.11	2 x ND100
FXVS 1012C-12D-L	30% Ethylene Glycol	35.50	55.53	2 x ND100	28.40	36.75	2 x ND100	42.60	77.81	2 x ND100
FXVS 1012C-12D-M	30% Ethylene Glycol	37.80	62.33	2 x ND100	30.24	41.25	2 x ND100	45.36	87.34	2 x ND100
FXVS 1012C-12D-O	30% Ethylene Glycol	40.60	70.27	2 x ND100	32.48	46.50	2 x ND100	48.72	98.45	2 x ND100
FXVS 1012C-16D-K	30% Ethylene Glycol	35.80	68.00	2 x ND100	28.64	45.00	2 x ND100	42.96	95.28	2 x ND100
FXVS 1012C-16D-L	30% Ethylene Glycol	39.40	80.47	2 x ND100	31.52	53.25	2 x ND100	47.28	112.75	2 x ND100
FXVS 1012C-16D-M	30% Ethylene Glycol	42.10	90.67	2 x ND100	33.68	60.00	2 x ND100	50.52	127.04	2 x ND100
FXVS 1012C-16D-O	30% Ethylene Glycol	45.30	103.13	2 x ND100	36.24	68.25	2 x ND100	54.36	144.51	2 x ND100
FXVS 1012C-16Q-K	30% Ethylene Glycol	31.10	9.07	1 x ND150	24.88	6.00	1 x ND150	37.32	12.70	1 x ND150
FXVS 1012C-16Q-L	30% Ethylene Glycol	34.20	10.20	1 x ND150	27.36	6.75	1 x ND150	41.04	14.29	1 x ND150
FXVS 1012C-16Q-M	30% Ethylene Glycol	36.50	11.33	1 x ND150	29.20	7.50	1 x ND150	43.80	15.88	1 x ND150
FXVS 1012C-16Q-O	30% Ethylene Glycol	39.20	13.60	1 x ND150	31.36	9.00	1 x ND150	47.04	19.06	1 x ND150
FXVS 1012C-20D-K	30% Ethylene Glycol	38.30	89.53	2 x ND100	30.64	59.25	2 x ND100	45.96	125.45	2 x ND100
FXVS 1012C-20D-L	30% Ethylene Glycol	42.40	107.67	2 x ND100	33.92	71.25	2 x ND100	50.88	150.86	2 x ND100
FXVS 1012C-20D-M	30% Ethylene Glycol	45.30	121.27	2 x ND100	36.24	80.25	2 x ND100	54.36	169.91	2 x ND100
FXVS 1012C-20D-O	30% Ethylene Glycol	48.80	139.40	2 x ND100	39.04	92.25	2 x ND100	58.56	195.32	2 x ND100
FXVS 1012C-24D-K	30% Ethylene Glycol	43.00	126.93	2 x ND100	34.40	84.00	2 x ND100	51.60	177.85	2 x ND100
FXVS 1012C-24D-L	30% Ethylene Glycol	48.00	154.13	2 x ND100	38.40	102.00	2 x ND100	57.60	215.97	2 x ND100
FXVS 1012C-24D-M	30% Ethylene Glycol	51.70	176.80	3 x ND100	41.36	117.00	3 x ND100	62.04	247.73	3 x ND100
FXVS 1012C-24D-O	30% Ethylene Glycol	56.20	205.13	3 x ND100	44.96	135.75	3 x ND100	67.44	287.42	3 x ND100
FXVS 1012C-24Q-K	30% Ethylene Glycol	39.20	17.00	1 x ND150	31.36	11.25	1 x ND150	47.04	23.82	1 x ND150
FXVS 1012C-24Q-L	30% Ethylene Glycol	43.60	21.53	1 x ND150	34.88	14.25	1 x ND150	52.32	30.17	1 x ND150
FXVS 1012C-24Q-M	30% Ethylene Glycol	47.00	23.80	1 x ND150	37.60	15.75	1 x ND150	56.40	33.35	1 x ND150
FXVS 1012C-24Q-O	30% Ethylene Glycol	50.90	28.33	1 x ND150	40.72	18.75	1 x ND150	61.08	39.70	1 x ND150
FXVS 1012C-24T-K	30% Ethylene Glycol	40.90	35.13	1 x ND150	32.72	23.25	1 x ND150	49.08	49.23	1 x ND150
FXVS 1012C-24T-L	30% Ethylene Glycol	45.60	43.07	1 x ND150	36.48	28.50	1 x ND150	54.72	60.34	1 x ND150
FXVS 1012C-24T-M	30% Ethylene Glycol	49.10	48.73	1 x ND150	39.28	32.25	1 x ND150	58.92	68.28	1 x ND150
FXVS 1012C-24T-O	30% Ethylene Glycol	53.30	56.67	1 x ND150	42.64	37.50	1 x ND150	63.96	79.40	1 x ND150
FXVS 1012C-28D-K	30% Ethylene Glycol	44.60	153.00	2 x ND100	35.68	101.25	2 x ND100	53.52	214.38	2 x ND100
FXVS 1012C-28D-L	30% Ethylene Glycol	49.90	187.00	2 x ND100	39.92	123.75	2 x ND100	59.88	262.02	2 x ND100
FXVS 1012C-28D-M	30% Ethylene Glycol	53.80	214.20	3 x ND100	43.04	141.76	3 x ND100	64.56	300.13	3 x ND100
FXVS 1012C-30T-K	30% Ethylene Glycol	43.40	46.47	1 x ND150	34.72	30.75	1 x ND150	52.08	65.11	1 x ND150
FXVS 1012C-30T-L	30% Ethylene Glycol	48.50	57.80	1 x ND150	38.80	38.25	1 x ND150	58.20	80.99	1 x ND150
FXVS 1012C-30T-M	30% Ethylene Glycol	52.40	65.73	1 x ND150	41.92	43.50	1 x ND150	62.88	92.10	1 x ND150

FXVS 1012C-30T-O	30% Ethylene Glycol	56.90	75.93	2 x ND150	45.52	50.25	2 x ND150	68.28	106.39	2 x ND150
FXVS 1012C-32Q-K	30% Ethylene Glycol	42.60	24.93	1 x ND150	34.08	16.50	1 x ND150	51.12	34.94	1 x ND150
FXVS 1012C-32Q-L	30% Ethylene Glycol	47.60	30.60	1 x ND150	38.08	20.25	1 x ND150	57.12	42.88	1 x ND150
FXVS 1012C-32Q-M	30% Ethylene Glycol	51.40	35.13	1 x ND150	41.12	23.25	1 x ND150	61.68	49.23	1 x ND150
FXVS 1012C-32Q-O	30% Ethylene Glycol	55.80	40.80	1 x ND150	44.64	27.00	1 x ND150	66.96	57.17	1 x ND150
FXVS 1012C-36T-L	30% Ethylene Glycol	45.20	58.93	1 x ND150	36.16	39.00	1 x ND150	54.24	82.58	1 x ND150
FXVS 1012C-36T-K	30% Ethylene Glycol	50.70	72.53	1 x ND150	40.56	48.00	1 x ND150	60.84	101.63	1 x ND150
FXVS 1012C-36T-M	30% Ethylene Glycol	54.70	83.87	1 x ND150	43.76	55.50	1 x ND150	65.64	117.51	1 x ND150
FXVS 1012C-36T-O	30% Ethylene Glycol	59.60	97.47	2 x ND150	47.68	64.50	2 x ND150	71.52	136.57	2 x ND150
FXVS 1018C-24Q-K	30% Ethylene Glycol	63.10	53.27	1 x ND200	50.48	35.25	1 x ND200	75.72	74.64	1 x ND200
FXVS 1018C-24Q-L	30% Ethylene Glycol	70.30	64.60	1 x ND200	56.24	42.75	1 x ND200	84.36	90.51	1 x ND200
FXVS 1018C-24Q-M	30% Ethylene Glycol	75.80	73.67	1 x ND200	60.64	48.75	1 x ND200	90.96	103.22	1 x ND200
FXVS 1018C-24Q-O	30% Ethylene Glycol	82.20	85.00	1 x ND200	65.76	56.25	1 x ND200	98.64	119.10	1 x ND200
FXVS 1018C-24Q-P	30% Ethylene Glycol	88.10	96.33	1 x ND200	70.48	63.75	1 x ND200	105.72	134.98	1 x ND200
FXVS 1018C-24T-K	30% Ethylene Glycol	65.10	108.80	2 x ND150	52.08	72.00	2 x ND150	78.12	152.45	2 x ND150
FXVS 1018C-24T-L	30% Ethylene Glycol	72.60	132.60	2 x ND150	58.08	87.75	2 x ND150	87.12	185.79	2 x ND150
FXVS 1018C-24T-M	30% Ethylene Glycol	78.30	151.87	2 x ND150	62.64	100.50	2 x ND150	93.96	212.79	2 x ND150
FXVS 1018C-24T-O	30% Ethylene Glycol	84.90	175.67	2 x ND150	67.92	116.25	2 x ND150	101.88	246.14	2 x ND150
FXVS 1018C-24T-P	30% Ethylene Glycol	90.90	199.47	2 x ND150	72.72	132.00	2 x ND150	109.08	279.48	2 x ND150
FXVS 1018C-32Q-K	30% Ethylene Glycol	67.60	74.80	1 x ND200	54.08	49.50	1 x ND200	81.12	104.81	1 x ND200
FXVS 1018C-32Q-L	30% Ethylene Glycol	75.60	91.80	1 x ND200	60.48	60.75	1 x ND200	90.72	128.63	1 x ND200
FXVS 1018C-32Q-M	30% Ethylene Glycol	81.60	105.40	1 x ND200	65.28	69.75	1 x ND200	97.92	147.68	1 x ND200
FXVS 1018C-32Q-O	30% Ethylene Glycol	88.70	122.40	1 x ND200	70.96	81.00	1 x ND200	106.44	171.50	1 x ND200
FXVS 1018C-32Q-P	30% Ethylene Glycol	95.20	139.40	1 x ND200	76.16	92.25	1 x ND200	114.24	195.32	1 x ND200
FXVS 1018C-36H-K	30% Ethylene Glycol	66.60	26.07	1 x ND200	53.28	17.25	1 x ND200	79.92	36.52	1 x ND200
FXVS 1018C-36H-L	30% Ethylene Glycol	74.40	31.73	1 x ND200	59.52	21.00	1 x ND200	89.28	44.46	1 x ND200
FXVS 1018C-36H-M	30% Ethylene Glycol	80.30	37.40	1 x ND200	64.24	24.75	1 x ND200	96.36	52.40	1 x ND200
FXVS 1018C-36H-O	30% Ethylene Glycol	87.30	43.07	1 x ND200	69.84	28.50	1 x ND200	104.76	60.34	1 x ND200
FXVS 1018C-36H-P	30% Ethylene Glycol	93.70	48.73	1 x ND200	74.96	32.25	1 x ND200	112.44	68.28	1 x ND200
FXVS 1212C-12D-K	30% Ethylene Glycol	36.20	51.00	2 x ND100	28.96	33.75	2 x ND100	43.44	71.46	2 x ND100
FXVS 1212C-12D-L	30% Ethylene Glycol	39.60	60.07	2 x ND100	31.68	39.75	2 x ND100	47.52	84.16	2 x ND100
FXVS 1212C-12D-M	30% Ethylene Glycol	42.20	66.87	2 x ND100	33.76	44.25	2 x ND100	50.64	93.69	2 x ND100
FXVS 1212C-12D-O	30% Ethylene Glycol	45.90	78.20	2 x ND100	36.72	51.75	2 x ND100	55.08	109.57	2 x ND100
FXVS 1212C-12D-P	30% Ethylene Glycol	49.20	88.40	2 x ND100	39.36	58.50	2 x ND100	59.04	123.86	2 x ND100
FXVS 1212C-16D-K	30% Ethylene Glycol	40.20	72.53	2 x ND100	32.16	48.00	2 x ND100	48.24	101.63	2 x ND100
FXVS 1212C-16D-L	30% Ethylene Glycol	44.20	86.13	2 x ND100	35.36	57.00	2 x ND100	53.04	120.69	2 x ND100
FXVS 1212C-16D-M	30% Ethylene Glycol	47.10	96.33	2 x ND100	37.68	63.75	2 x ND100	56.52	134.98	2 x ND100
FXVS 1212C-16D-O	30% Ethylene Glycol	51.30	112.20	3 x ND100	41.04	74.25	3 x ND100	61.56	157.21	3 x ND100
FXVS 1212C-16D-P	30% Ethylene Glycol	55.10	128.07	3 x ND100	44.08	84.75	3 x ND100	66.12	179.44	3 x ND100
FXVS 1212C-16Q-K	30% Ethylene Glycol	35.00	10.20	1 x ND150	28.00	6.75	1 x ND150	42.00	14.29	1 x ND150
FXVS 1212C-16Q-L	30% Ethylene Glycol	38.30	11.33	1 x ND150	30.64	7.50	1 x ND150	45.96	15.88	1 x ND150
FXVS 1212C-16Q-M	30% Ethylene Glycol	40.70	12.47	1 x ND150	32.56	8.25	1 x ND150	48.84	17.47	1 x ND150
FXVS 1212C-16Q-O	30% Ethylene Glycol	44.20	14.73	1 x ND150	35.36	9.75	1 x ND150	53.04	20.64	1 x ND150
FXVS 1212C-16Q-P	30% Ethylene Glycol	47.40	17.00	1 x ND150	37.92	11.25	1 x ND150	56.88	23.82	1 x ND150
FXVS 1212C-20D-K	30% Ethylene Glycol	43.20	96.33	2 x ND100	34.56	63.75	2 x ND100	51.84	134.98	2 x ND100
FXVS 1212C-20D-L	30% Ethylene Glycol	47.50	114.47	2 x ND100	38.00	75.75	2 x ND100	57.00	160.39	2 x ND100
FXVS 1212C-20D-M	30% Ethylene Glycol	50.70	129.20	3 x ND100	40.56	85.50	3 x ND100	60.84	181.03	3 x ND100
FXVS 1212C-20D-O	30% Ethylene Glycol	55.30	150.73	3 x ND100	44.24	99.75	3 x ND100	66.36	211.20	3 x ND100
FXVS 1212C-20D-P	30% Ethylene Glycol	59.50	172.27	3 x ND100	47.60	114.00	3 x ND100	71.40	241.37	3 x ND100
FXVS 1212C-24D-K	30% Ethylene Glycol	48.90	136.00	2 x ND100	39.12	90.00	2 x ND100	58.68	190.56	2 x ND100
FXVS 1212C-24D-L	30% Ethylene Glycol	54.40	165.47	3 x ND100	43.52	109.50	3 x ND100	65.28	231.85	3 x ND100
FXVS 1212C-24D-M	30% Ethylene Glycol	58.40	188.13	3 x ND100	46.72	124.50	3 x ND100	70.08	263.60	3 x ND100
FXVS 1212C-24D-O	30% Ethylene Glycol	64.30	223.27	3 x ND100	51.44	147.76	3 x ND100	77.16	312.83	3 x ND100
FXVS 1212C-24D-P	30% Ethylene Glycol	69.50	257.27	3 x ND100	55.60	170.26	3 x ND100	83.40	360.47	3 x ND100
FXVS 1212C-24Q-K	30% Ethylene Glycol	44.60	19.27	1 x ND150	35.68	12.75	1 x ND150	53.52	27.00	1 x ND150
FXVS 1212C-24Q-L	30% Ethylene Glycol	49.50	23.80	1 x ND150	39.60	15.75	1 x ND150	59.40	33.35	1 x ND150
FXVS 1212C-24Q-M	30% Ethylene Glycol	53.00	26.07	1 x ND150	42.40	17.25	1 x ND150	63.60	36.52	1 x ND150
FXVS 1212C-24Q-O	30% Ethylene Glycol	58.30	31.73	1 x ND200	46.64	21.00	1 x ND200	69.96	44.46	1 x ND200
FXVS 1212C-24Q-P	30% Ethylene Glycol	63.00	36.27	1 x ND200	50.40	24.00	1 x ND200	75.60	50.82	1 x ND200
FXVS 1212C-24T-K	30% Ethylene Glycol	46.50	37.40	1 x ND150	37.20	24.75	1 x ND150	55.80	52.40	1 x ND150
FXVS 1212C-24T-L	30% Ethylene Glycol	51.70	45.33	1 x ND150	41.36	30.00	1 x ND150	62.04	63.52	1 x ND150
FXVS 1212C-24T-M	30% Ethylene Glycol	55.50	51.00	1 x ND150	44.40	33.75	1 x ND150	66.60	71.46	1 x ND150
FXVS 1212C-24T-O	30% Ethylene Glycol	61.10	61.20	2 x ND150	48.88	40.50	2 x ND150	73.32	85.75	2 x ND150
FXVS 1212C-24T-P	30% Ethylene Glycol	66.20	70.27	2 x ND150	52.96	46.50	2 x ND150	79.44	98.45	2 x ND150
FXVS 1212C-28D-K	30% Ethylene Glycol	50.80	165.47	3 x ND100	40.64	109.50	3 x ND100	60.96	231.85	3 x ND100
FXVS 1212C-28D-L	30% Ethylene Glycol	56.50	200.60	3 x ND100	45.20	132.75	3 x ND100	67.80	281.07	3 x ND100
FXVS 1212C-28D-M	30% Ethylene Glycol	60.70	227.80	3 x ND100	48.56	150.76	3 x ND100	72.84	319.18	3 x ND100

FXVS 1212C-28D-O	30% Ethylene Glycol	66.80	270.87	3 x ND100	53.44	179.26	3 x ND100	80.16	379.53	3 x ND100
FXVS 1212C-30T-K	30% Ethylene Glycol	49.40	49.87	1 x ND150	39.52	33.00	1 x ND150	59.28	69.87	1 x ND150
FXVS 1212C-30T-L	30% Ethylene Glycol	55.00	60.07	1 x ND150	44.00	39.75	1 x ND150	66.00	84.16	1 x ND150
FXVS 1212C-30T-M	30% Ethylene Glycol	59.20	69.13	2 x ND150	47.36	45.75	2 x ND150	71.04	96.87	2 x ND150
FXVS 1212C-30T-O	30% Ethylene Glycol	65.30	82.73	2 x ND150	52.24	54.75	2 x ND150	78.36	115.92	2 x ND150
FXVS 1212C-30T-P	30% Ethylene Glycol	70.80	95.20	2 x ND150	56.64	63.00	2 x ND150	84.96	133.39	2 x ND150
FXVS 1212C-32Q-K	30% Ethylene Glycol	48.60	27.20	1 x ND150	38.88	18.00	1 x ND150	58.32	38.11	1 x ND150
FXVS 1212C-32Q-L	30% Ethylene Glycol	53.90	32.87	1 x ND150	43.12	21.75	1 x ND150	64.68	46.05	1 x ND150
FXVS 1212C-32Q-M	30% Ethylene Glycol	58.00	37.40	1 x ND200	46.40	24.75	1 x ND200	69.60	52.40	1 x ND200
FXVS 1212C-32Q-O	30% Ethylene Glycol	63.90	44.20	1 x ND200	51.12	29.25	1 x ND200	76.68	61.93	1 x ND200
FXVS 1212C-32Q-P	30% Ethylene Glycol	69.20	51.00	1 x ND200	55.36	33.75	1 x ND200	83.04	71.46	1 x ND200
FXVS 1212C-36T-K	30% Ethylene Glycol	51.60	62.33	1 x ND150	41.28	41.25	1 x ND150	61.92	87.34	1 x ND150
FXVS 1212C-36T-L	30% Ethylene Glycol	57.50	75.93	2 x ND150	46.00	50.25	2 x ND150	69.00	106.39	2 x ND150
FXVS 1212C-36T-M	30% Ethylene Glycol	61.90	87.27	2 x ND150	49.52	57.75	2 x ND150	74.28	122.27	2 x ND150
FXVS 1212C-36T-O	30% Ethylene Glycol	68.30	104.27	2 x ND150	54.64	69.00	2 x ND150	81.96	146.09	2 x ND150
FXVS 1212C-36T-P	30% Ethylene Glycol	74.20	120.13	2 x ND150	59.36	79.50	2 x ND150	89.04	168.33	2 x ND150
FXVS 1218C-24Q-K	30% Ethylene Glycol	73.10	58.93	1 x ND200	58.48	39.00	1 x ND200	87.72	82.58	1 x ND200
FXVS 1218C-24Q-L	30% Ethylene Glycol	81.10	71.40	1 x ND200	64.88	47.25	1 x ND200	97.32	100.04	1 x ND200
FXVS 1218C-24Q-M	30% Ethylene Glycol	87.10	81.60	1 x ND200	69.68	54.00	1 x ND200	104.52	114.33	1 x ND200
FXVS 1218C-24Q-O	30% Ethylene Glycol	95.90	96.33	1 x ND200	76.72	63.75	1 x ND200	115.08	134.98	1 x ND200
FXVS 1218C-24Q-P	30% Ethylene Glycol	103.80	111.07	2 x ND200	83.04	73.50	2 x ND200	124.56	155.62	2 x ND200
FXVS 1218C-24T-K	30% Ethylene Glycol	75.40	119.00	2 x ND150	60.32	78.75	2 x ND150	90.48	166.74	2 x ND150
FXVS 1218C-24T-L	30% Ethylene Glycol	83.70	142.80	2 x ND150	66.96	94.50	2 x ND150	100.44	200.09	2 x ND150
FXVS 1218C-24T-M	30% Ethylene Glycol	89.90	163.20	2 x ND150	71.92	108.00	2 x ND150	107.88	228.67	2 x ND150
FXVS 1218C-24T-O	30% Ethylene Glycol	98.80	192.67	2 x ND150	79.04	127.50	2 x ND150	118.56	269.96	2 x ND150
FXVS 1218C-24T-P	30% Ethylene Glycol	106.80	222.13	2 x ND150	85.44	147.01	2 x ND150	128.16	311.24	2 x ND150
FXVS 1218C-32Q-K	30% Ethylene Glycol	78.50	83.87	1 x ND200	62.80	55.50	1 x ND200	94.20	117.51	1 x ND200
FXVS 1218C-32Q-L	30% Ethylene Glycol	87.40	102.00	1 x ND200	69.92	67.50	1 x ND200	104.88	142.92	1 x ND200
FXVS 1218C-32Q-M	30% Ethylene Glycol	94.00	116.73	1 x ND200	75.20	77.25	1 x ND200	112.80	163.56	1 x ND200
FXVS 1218C-32Q-O	30% Ethylene Glycol	103.50	138.27	2 x ND200	82.80	91.50	2 x ND200	124.20	193.73	2 x ND200
FXVS 1218C-32Q-P	30% Ethylene Glycol	112.20	159.80	2 x ND200	89.76	105.75	2 x ND200	134.64	223.91	2 x ND200
FXVS 1218C-36H-K	30% Ethylene Glycol	77.30	29.47	1 x ND200	61.84	19.50	1 x ND200	92.76	41.29	1 x ND200
FXVS 1218C-36H-L	30% Ethylene Glycol	86.00	36.27	1 x ND200	68.80	24.00	1 x ND200	103.20	50.82	1 x ND200
FXVS 1218C-36H-M	30% Ethylene Glycol	92.50	40.80	1 x ND200	74.00	27.00	1 x ND200	111.00	57.17	1 x ND200
FXVS 1218C-36H-O	30% Ethylene Glycol	102.00	48.73	2 x ND200	81.60	32.25	2 x ND200	122.40	68.28	2 x ND200
FXVS 1218C-36H-P	30% Ethylene Glycol	110.60	56.67	2 x ND200	88.48	37.50	2 x ND200	132.72	79.40	2 x ND200
FXVS 0806B-12D-G	30% Propylene Glycol	9.60	5.96	1 x ND100	7.68	3.95	1 x ND100	11.52	8.36	1 x ND100
FXVS 0806B-12D-H	30% Propylene Glycol	10.60	7.16	1 x ND100	8.48	4.74	1 x ND100	12.72	10.03	1 x ND100
FXVS 0806B-12D-J	30% Propylene Glycol	11.50	8.35	1 x ND100	9.20	5.53	1 x ND100	13.80	11.70	1 x ND100
FXVS 0806B-12D-K	30% Propylene Glycol	12.20	9.54	1 x ND100	9.76	6.32	1 x ND100	14.64	13.37	1 x ND100
FXVS 0806B-12D-L	30% Propylene Glycol	12.90	10.74	1 x ND100	10.32	7.10	1 x ND100	15.48	15.04	1 x ND100
FXVS 0806B-16D-G	30% Propylene Glycol	11.20	9.54	1 x ND100	8.96	6.32	1 x ND100	13.44	13.37	1 x ND100
FXVS 0806B-16D-H	30% Propylene Glycol	12.60	11.93	1 x ND100	10.08	7.89	1 x ND100	15.12	16.71	1 x ND100
FXVS 0806B-16D-J	30% Propylene Glycol	13.70	14.31	1 x ND100	10.96	9.47	1 x ND100	16.44	20.06	1 x ND100
FXVS 0806B-16D-K	30% Propylene Glycol	14.50	15.51	1 x ND100	11.60	10.26	1 x ND100	17.40	21.73	1 x ND100
FXVS 0806B-16D-L	30% Propylene Glycol	15.40	17.89	1 x ND100	12.32	11.84	1 x ND100	18.48	25.07	1 x ND100
FXVS 0806B-20D-G	30% Propylene Glycol	12.40	14.31	1 x ND100	9.92	9.47	1 x ND100	14.88	20.06	1 x ND100
FXVS 0806B-20D-H	30% Propylene Glycol	13.90	16.70	1 x ND100	11.12	11.05	1 x ND100	16.68	23.40	1 x ND100
FXVS 0806B-20D-J	30% Propylene Glycol	15.20	20.28	1 x ND100	12.16	13.42	1 x ND100	18.24	28.41	1 x ND100
FXVS 0806B-20D-K	30% Propylene Glycol	16.10	22.66	1 x ND100	12.88	15.00	1 x ND100	19.32	31.76	1 x ND100
FXVS 0806B-20D-L	30% Propylene Glycol	17.20	25.05	1 x ND100	13.76	16.58	1 x ND100	20.64	35.10	1 x ND100
FXVS 0806B-24D-G	30% Propylene Glycol	14.20	20.28	1 x ND100	11.36	13.42	1 x ND100	17.04	28.41	1 x ND100
FXVS 0806B-24D-H	30% Propylene Glycol	16.20	26.24	1 x ND100	12.96	17.37	1 x ND100	19.44	36.77	1 x ND100
FXVS 0806B-24D-J	30% Propylene Glycol	17.80	31.01	1 x ND100	14.24	20.52	1 x ND100	21.36	43.45	1 x ND100
FXVS 0806B-24D-K	30% Propylene Glycol	19.00	34.59	1 x ND100	15.20	22.89	1 x ND100	22.80	48.47	1 x ND100
FXVS 0806B-24D-L	30% Propylene Glycol	20.40	39.36	1 x ND100	16.32	26.05	1 x ND100	24.48	55.15	1 x ND100
FXVS 0806B-28D-G	30% Propylene Glycol	14.90	25.05	1 x ND100	11.92	16.58	1 x ND100	17.88	35.10	1 x ND100
FXVS 0806B-28D-H	30% Propylene Glycol	17.00	32.21	1 x ND100	13.60	21.31	1 x ND100	20.40	45.13	1 x ND100
FXVS 0806B-28D-J	30% Propylene Glycol	18.80	38.17	1 x ND100	15.04	25.26	1 x ND100	22.56	53.48	1 x ND100
FXVS 0806B-28D-K	30% Propylene Glycol	20.10	42.94	1 x ND100	16.08	28.42	1 x ND100	24.12	60.17	1 x ND100
FXVS 0806B-28D-L	30% Propylene Glycol	21.60	48.91	1 x ND100	17.28	32.37	1 x ND100	25.92	68.52	1 x ND100
FXVS 0806B-32D-G	30% Propylene Glycol	15.50	29.82	1 x ND100	12.40	19.73	1 x ND100	18.60	41.78	1 x ND100
FXVS 0806B-32D-H	30% Propylene Glycol	17.70	38.17	1 x ND100	14.16	25.26	1 x ND100	21.24	53.48	1 x ND100
FXVS 0806B-32D-J	30% Propylene Glycol	19.50	45.33	1 x ND100	15.60	30.00	1 x ND100	23.40	63.51	1 x ND100
FXVS 0806B-32D-K	30% Propylene Glycol	20.90	51.29	1 x ND100	16.72	33.94	1 x ND100	25.08	71.87	1 x ND100
FXVS 0806B-32D-L	30% Propylene Glycol	22.50	58.45	1 x ND100	18.00	38.68	1 x ND100	27.00	81.90	1 x ND100
FXVS 0806B-36D-G	30% Propylene Glycol	16.00	35.78	1 x ND100	12.80	23.68	1 x ND100	19.20	50.14	1 x ND100



FXVS 0806B-36D-H	30% Propylene Glycol	18.30	45.33	1 x ND100	14.64	30.00	1 x ND100	21.96	63.51	1 x ND100
FXVS 0806B-36D-J	30% Propylene Glycol	20.20	53.68	1 x ND100	16.16	35.52	1 x ND100	24.24	75.21	1 x ND100
FXVS 0806B-36D-K	30% Propylene Glycol	21.60	60.83	1 x ND100	17.28	40.26	1 x ND100	25.92	85.24	1 x ND100
FXVS 0806B-36D-L	30% Propylene Glycol	23.30	69.18	1 x ND100	18.64	45.78	1 x ND100	27.96	96.94	1 x ND100
FXVS 0809B-16D-K	30% Propylene Glycol	22.80	44.13	1 x ND100	18.24	29.21	1 x ND100	27.36	61.84	1 x ND100
FXVS 0809B-16D-L	30% Propylene Glycol	24.90	52.48	1 x ND100	19.92	34.73	1 x ND100	29.88	73.54	1 x ND100
FXVS 0809B-16D-ML	30% Propylene Glycol	26.10	57.26	2 x ND100	20.88	37.89	2 x ND100	31.32	80.22	2 x ND100
FXVS 0809B-20D-K	30% Propylene Glycol	24.80	62.03	1 x ND100	19.84	41.05	1 x ND100	29.76	86.91	1 x ND100
FXVS 0809B-20D-L	30% Propylene Glycol	27.20	72.76	2 x ND100	21.76	48.15	2 x ND100	32.64	101.95	2 x ND100
FXVS 0809B-20D-ML	30% Propylene Glycol	28.50	79.92	2 x ND100	22.80	52.89	2 x ND100	34.20	111.98	2 x ND100
FXVS 0809B-24D-K	30% Propylene Glycol	28.50	93.04	2 x ND100	22.80	61.57	2 x ND100	34.20	130.36	2 x ND100
FXVS 0809B-24D-L	30% Propylene Glycol	31.50	112.13	2 x ND100	25.20	74.20	2 x ND100	37.80	157.10	2 x ND100
FXVS 0809B-24D-ML	30% Propylene Glycol	33.10	121.67	2 x ND100	26.48	80.52	2 x ND100	39.72	170.48	2 x ND100
FXVS 0809B-24T-K	30% Propylene Glycol	26.60	26.24	1 x ND150	21.28	17.37	1 x ND150	31.92	36.77	1 x ND150
FXVS 0809B-24T-L	30% Propylene Glycol	29.30	31.01	1 x ND150	23.44	20.52	1 x ND150	35.16	43.45	1 x ND150
FXVS 0809B-24T-ML	30% Propylene Glycol	30.90	33.40	1 x ND150	24.72	22.10	1 x ND150	37.08	46.80	1 x ND150
FXVS 0809B-28D-K	30% Propylene Glycol	29.80	114.51	2 x ND100	23.84	75.78	2 x ND100	35.76	160.45	2 x ND100
FXVS 0809B-28D-L	30% Propylene Glycol	32.90	137.17	2 x ND100	26.32	90.78	2 x ND100	39.48	192.20	2 x ND100
FXVS 0809B-28D-ML	30% Propylene Glycol	34.70	150.30	2 x ND100	27.76	99.46	2 x ND100	41.64	210.59	2 x ND100
FXVS 0809B-30T-K	30% Propylene Glycol	28.70	35.78	1 x ND150	22.96	23.68	1 x ND150	34.44	50.14	1 x ND150
FXVS 0809B-30T-L	30% Propylene Glycol	31.70	42.94	1 x ND150	25.36	28.42	1 x ND150	38.04	60.17	1 x ND150
FXVS 0809B-30T-ML	30% Propylene Glycol	33.40	46.52	1 x ND150	26.72	30.79	1 x ND150	40.08	65.18	1 x ND150
FXVS 0809B-32D-K	30% Propylene Glycol	30.70	135.98	2 x ND100	24.56	89.99	2 x ND100	36.84	190.53	2 x ND100
FXVS 0809B-32D-L	30% Propylene Glycol	34.00	163.42	2 x ND100	27.20	108.15	2 x ND100	40.80	228.97	2 x ND100
FXVS 0809B-32D-ML	30% Propylene Glycol	35.80	180.12	2 x ND100	28.64	119.20	2 x ND100	42.96	252.37	2 x ND100
FXVS 0809B-36D-K	30% Propylene Glycol	32.00	162.22	2 x ND100	25.60	107.36	2 x ND100	38.40	227.30	2 x ND100
FXVS 0809B-36D-L	30% Propylene Glycol	35.40	194.43	2 x ND100	28.32	128.67	2 x ND100	42.48	272.43	2 x ND100
FXVS 0809B-36D-ML	30% Propylene Glycol	37.30	213.52	2 x ND100	29.84	141.30	2 x ND100	44.76	299.17	2 x ND100
FXVS 0809B-36T-K	30% Propylene Glycol	30.10	46.52	1 x ND150	24.08	30.79	1 x ND150	36.12	65.18	1 x ND150
FXVS 0809B-36T-L	30% Propylene Glycol	33.40	56.06	1 x ND150	26.72	37.10	1 x ND150	40.08	78.55	1 x ND150
FXVS 0809B-36T-ML	30% Propylene Glycol	35.20	60.83	1 x ND150	28.16	40.26	1 x ND150	42.24	85.24	1 x ND150
FXVS 0812B-12D-K	30% Propylene Glycol	28.40	64.41	2 x ND100	22.72	42.63	2 x ND100	34.08	90.25	2 x ND100
FXVS 0812B-12D-L	30% Propylene Glycol	31.00	75.15	2 x ND100	24.80	49.73	2 x ND100	37.20	105.29	2 x ND100
FXVS 0812B-12D-M	30% Propylene Glycol	33.00	84.69	2 x ND100	26.40	56.05	2 x ND100	39.60	118.66	2 x ND100
FXVS 0812B-12D-O	30% Propylene Glycol	35.20	94.23	2 x ND100	28.16	62.36	2 x ND100	42.24	132.03	2 x ND100
FXVS 0812B-16D-K	30% Propylene Glycol	31.60	97.81	2 x ND100	25.28	64.73	2 x ND100	37.92	137.05	2 x ND100
FXVS 0812B-16D-L	30% Propylene Glycol	34.70	115.70	2 x ND100	27.76	76.57	2 x ND100	41.64	162.12	2 x ND100
FXVS 0812B-16D-M	30% Propylene Glycol	36.90	128.83	2 x ND100	29.52	85.25	2 x ND100	44.28	180.50	2 x ND100
FXVS 0812B-16D-O	30% Propylene Glycol	39.50	145.52	2 x ND100	31.60	96.31	2 x ND100	47.40	203.90	2 x ND100
FXVS 0812B-16Q-K	30% Propylene Glycol	27.20	11.93	1 x ND150	21.76	7.89	1 x ND150	32.64	16.71	1 x ND150
FXVS 0812B-16Q-L	30% Propylene Glycol	29.80	14.31	1 x ND150	23.84	9.47	1 x ND150	35.76	20.06	1 x ND150
FXVS 0812B-16Q-M	30% Propylene Glycol	31.70	15.51	1 x ND150	25.36	10.26	1 x ND150	38.04	21.73	1 x ND150
FXVS 0812B-16Q-O	30% Propylene Glycol	33.90	17.89	1 x ND150	27.12	11.84	1 x ND150	40.68	25.07	1 x ND150
FXVS 0812B-20D-K	30% Propylene Glycol	33.90	133.60	2 x ND100	27.12	88.41	2 x ND100	40.68	187.19	2 x ND100
FXVS 0812B-20D-L	30% Propylene Glycol	37.20	157.45	2 x ND100	29.76	104.20	2 x ND100	44.64	220.62	2 x ND100
FXVS 0812B-20D-M	30% Propylene Glycol	39.70	176.54	2 x ND100	31.76	116.83	2 x ND100	47.64	247.36	2 x ND100
FXVS 0812B-20D-O	30% Propylene Glycol	42.50	200.39	2 x ND100	34.00	132.62	2 x ND100	51.00	280.78	2 x ND100
FXVS 0812B-24Q-K	30% Propylene Glycol	34.80	25.05	1 x ND150	27.84	16.58	1 x ND150	41.76	35.10	1 x ND150
FXVS 0812B-24Q-L	30% Propylene Glycol	38.50	29.82	1 x ND150	30.80	19.73	1 x ND150	46.20	41.78	1 x ND150
FXVS 0812B-24Q-M	30% Propylene Glycol	41.30	34.59	1 x ND150	33.04	22.89	1 x ND150	49.56	48.47	1 x ND150
FXVS 0812B-24Q-O	30% Propylene Glycol	44.60	39.36	1 x ND150	35.68	26.05	1 x ND150	53.52	55.15	1 x ND150
FXVS 0812B-24T-K	30% Propylene Glycol	36.40	56.06	1 x ND150	29.12	37.10	1 x ND150	43.68	78.55	1 x ND150
FXVS 0812B-24T-L	30% Propylene Glycol	40.40	67.99	1 x ND150	32.32	45.00	1 x ND150	48.48	95.27	1 x ND150
FXVS 0812B-24T-M	30% Propylene Glycol	43.30	76.34	1 x ND150	34.64	50.52	1 x ND150	51.96	106.97	1 x ND150
FXVS 0812B-24T-O	30% Propylene Glycol	46.80	88.27	1 x ND150	37.44	58.42	1 x ND150	56.16	123.68	1 x ND150
FXVS 0812B-30T-K	30% Propylene Glycol	38.70	76.34	1 x ND150	30.96	50.52	1 x ND150	46.44	106.97	1 x ND150
FXVS 0812B-30T-L	30% Propylene Glycol	43.00	93.04	1 x ND150	34.40	61.57	1 x ND150	51.60	130.36	1 x ND150
FXVS 0812B-30T-M	30% Propylene Glycol	46.20	104.97	1 x ND150	36.96	69.47	1 x ND150	55.44	147.08	1 x ND150
FXVS 0812B-30T-O	30% Propylene Glycol	49.90	120.48	1 x ND150	39.92	79.73	1 x ND150	59.88	168.80	1 x ND150
FXVS 0812B-32Q-K	30% Propylene Glycol	37.90	36.98	1 x ND150	30.32	24.47	1 x ND150	45.48	51.81	1 x ND150
FXVS 0812B-32Q-L	30% Propylene Glycol	42.10	45.33	1 x ND150	33.68	30.00	1 x ND150	50.52	63.51	1 x ND150
FXVS 0812B-32Q-M	30% Propylene Glycol	45.20	51.29	1 x ND150	36.16	33.94	1 x ND150	54.24	71.87	1 x ND150
FXVS 0812B-32Q-O	30% Propylene Glycol	48.90	59.64	1 x ND150	39.12	39.47	1 x ND150	58.68	83.57	1 x ND150
FXVS 0812B-36T-K	30% Propylene Glycol	40.30	97.81	1 x ND150	32.24	64.73	1 x ND150	48.36	137.05	1 x ND150
FXVS 0812B-36T-L	30% Propylene Glycol	44.90	118.09	1 x ND150	35.92	78.15	1 x ND150	53.88	165.46	1 x ND150
FXVS 0812B-36T-M	30% Propylene Glycol	48.20	134.79	1 x ND150	38.56	89.20	1 x ND150	57.84	188.86	1 x ND150
FXVS 0812B-36T-O	30% Propylene Glycol	52.20	155.07	1 x ND150	41.76	102.62	1 x ND150	62.64	217.27	1 x ND150

FXVS 0818B-24Q-K	30% Propylene Glycol	57.00	83.50	1 x ND200	45.60	55.26	1 x ND200	68.40	116.99	1 x ND200
FXVS 0818B-24Q-L	30% Propylene Glycol	62.70	99.00	1 x ND200	50.16	65.52	1 x ND200	75.24	138.72	1 x ND200
FXVS 0818B-24Q-M	30% Propylene Glycol	66.80	110.93	1 x ND200	53.44	73.41	1 x ND200	80.16	155.43	1 x ND200
FXVS 0818B-24T-K	30% Propylene Glycol	58.80	183.70	2 x ND150	47.04	121.57	2 x ND150	70.56	257.38	2 x ND150
FXVS 0818B-24T-L	30% Propylene Glycol	64.50	217.09	2 x ND150	51.60	143.67	2 x ND150	77.40	304.18	2 x ND150
FXVS 0818B-24T-M	30% Propylene Glycol	68.70	243.34	2 x ND150	54.96	161.04	2 x ND150	82.44	340.95	2 x ND150
FXVS 0818B-32Q-K	30% Propylene Glycol	61.20	120.48	1 x ND200	48.96	79.73	1 x ND200	73.44	168.80	1 x ND200
FXVS 0818B-32Q-L	30% Propylene Glycol	67.40	144.33	1 x ND200	53.92	95.52	1 x ND200	80.88	202.23	1 x ND200
FXVS 0818B-32Q-M	30% Propylene Glycol	71.90	161.03	1 x ND200	57.52	106.57	1 x ND200	86.28	225.63	1 x ND200
FXVS 0818B-32Q-O	30% Propylene Glycol	77.00	182.50	1 x ND200	61.60	120.78	1 x ND200	92.40	255.71	1 x ND200
FXVS 0818B-36H-K	30% Propylene Glycol	60.10	42.94	1 x ND200	48.08	28.42	1 x ND200	72.12	60.17	1 x ND200
FXVS 0818B-36H-L	30% Propylene Glycol	66.20	50.10	1 x ND200	52.96	33.15	1 x ND200	79.44	70.20	1 x ND200
FXVS 0818B-36H-M	30% Propylene Glycol	70.60	57.26	1 x ND200	56.48	37.89	1 x ND200	84.72	80.22	1 x ND200
FXVS 0818B-36H-O	30% Propylene Glycol	75.80	64.41	1 x ND200	60.64	42.63	1 x ND200	90.96	90.25	1 x ND200
FXVS 1012C-12D-K	30% Propylene Glycol	32.30	48.91	2 x ND100	25.84	32.37	2 x ND100	38.76	68.52	2 x ND100
FXVS 1012C-12D-L	30% Propylene Glycol	35.50	58.45	2 x ND100	28.40	38.68	2 x ND100	42.60	81.90	2 x ND100
FXVS 1012C-12D-M	30% Propylene Glycol	37.80	65.61	2 x ND100	30.24	43.42	2 x ND100	45.36	91.92	2 x ND100
FXVS 1012C-12D-O	30% Propylene Glycol	40.60	73.96	2 x ND100	32.48	48.94	2 x ND100	48.72	103.62	2 x ND100
FXVS 1012C-16D-K	30% Propylene Glycol	35.80	71.57	2 x ND100	28.64	47.36	2 x ND100	42.96	100.28	2 x ND100
FXVS 1012C-16D-L	30% Propylene Glycol	39.40	84.69	2 x ND100	31.52	56.05	2 x ND100	47.28	118.66	2 x ND100
FXVS 1012C-16D-M	30% Propylene Glycol	42.10	95.43	2 x ND100	33.68	63.15	2 x ND100	50.52	133.71	2 x ND100
FXVS 1012C-16D-O	30% Propylene Glycol	45.30	108.55	2 x ND100	36.24	71.83	2 x ND100	54.36	152.09	2 x ND100
FXVS 1012C-16Q-K	30% Propylene Glycol	31.10	9.54	1 x ND150	24.88	6.32	1 x ND150	37.32	13.37	1 x ND150
FXVS 1012C-16Q-L	30% Propylene Glycol	34.20	10.74	1 x ND150	27.36	7.10	1 x ND150	41.04	15.04	1 x ND150
FXVS 1012C-16Q-M	30% Propylene Glycol	36.50	11.93	1 x ND150	29.20	7.89	1 x ND150	43.80	16.71	1 x ND150
FXVS 1012C-16Q-O	30% Propylene Glycol	39.20	14.31	1 x ND150	31.36	9.47	1 x ND150	47.04	20.06	1 x ND150
FXVS 1012C-20D-K	30% Propylene Glycol	38.30	94.23	2 x ND100	30.64	62.36	2 x ND100	45.96	132.03	2 x ND100
FXVS 1012C-20D-L	30% Propylene Glycol	42.40	113.32	2 x ND100	33.92	74.99	2 x ND100	50.88	158.78	2 x ND100
FXVS 1012C-20D-M	30% Propylene Glycol	45.30	127.63	2 x ND100	36.24	84.47	2 x ND100	54.36	178.83	2 x ND100
FXVS 1012C-20D-O	30% Propylene Glycol	48.80	146.72	2 x ND100	39.04	97.10	2 x ND100	58.56	205.57	2 x ND100
FXVS 1012C-24D-K	30% Propylene Glycol	43.00	133.60	2 x ND100	34.40	88.41	2 x ND100	51.60	187.19	2 x ND100
FXVS 1012C-24D-L	30% Propylene Glycol	48.00	162.22	2 x ND100	38.40	107.36	2 x ND100	57.60	227.30	2 x ND100
FXVS 1012C-24D-M	30% Propylene Glycol	51.70	186.08	3 x ND100	41.36	123.15	3 x ND100	62.04	260.73	3 x ND100
FXVS 1012C-24D-O	30% Propylene Glycol	56.20	215.90	3 x ND100	44.96	142.88	3 x ND100	67.44	302.51	3 x ND100
FXVS 1012C-24Q-K	30% Propylene Glycol	39.20	17.89	1 x ND150	31.36	11.84	1 x ND150	47.04	25.07	1 x ND150
FXVS 1012C-24Q-L	30% Propylene Glycol	43.60	22.66	1 x ND150	34.88	15.00	1 x ND150	52.32	31.76	1 x ND150
FXVS 1012C-24Q-M	30% Propylene Glycol	47.00	25.05	1 x ND150	37.60	16.58	1 x ND150	56.40	35.10	1 x ND150
FXVS 1012C-24Q-O	30% Propylene Glycol	50.90	29.82	1 x ND150	40.72	19.73	1 x ND150	61.08	41.78	1 x ND150
FXVS 1012C-24T-K	30% Propylene Glycol	40.90	36.98	1 x ND150	32.72	24.47	1 x ND150	49.08	51.81	1 x ND150
FXVS 1012C-24T-L	30% Propylene Glycol	45.60	45.33	1 x ND150	36.48	30.00	1 x ND150	54.72	63.51	1 x ND150
FXVS 1012C-24T-M	30% Propylene Glycol	49.10	51.29	1 x ND150	39.28	33.94	1 x ND150	58.92	71.87	1 x ND150
FXVS 1012C-24T-O	30% Propylene Glycol	53.30	59.64	1 x ND150	42.64	39.47	1 x ND150	63.96	83.57	1 x ND150
FXVS 1012C-28D-K	30% Propylene Glycol	44.60	161.03	2 x ND100	35.68	106.57	2 x ND100	53.52	225.63	2 x ND100
FXVS 1012C-28D-L	30% Propylene Glycol	49.90	196.82	2 x ND100	39.92	130.25	2 x ND100	59.88	275.77	2 x ND100
FXVS 1012C-28D-M	30% Propylene Glycol	53.80	225.44	3 x ND100	43.04	149.20	3 x ND100	64.56	315.88	3 x ND100
FXVS 1012C-30T-K	30% Propylene Glycol	43.40	48.91	1 x ND150	34.72	32.37	1 x ND150	52.08	68.52	1 x ND150
FXVS 1012C-30T-L	30% Propylene Glycol	48.50	60.83	1 x ND150	38.80	40.26	1 x ND150	58.20	85.24	1 x ND150
FXVS 1012C-30T-M	30% Propylene Glycol	52.40	69.18	1 x ND150	41.92	45.78	1 x ND150	62.88	96.94	1 x ND150
FXVS 1012C-30T-O	30% Propylene Glycol	56.90	79.92	2 x ND150	45.52	52.89	2 x ND150	68.28	111.98	2 x ND150
FXVS 1012C-32Q-K	30% Propylene Glycol	42.60	26.24	1 x ND150	34.08	17.37	1 x ND150	51.12	36.77	1 x ND150
FXVS 1012C-32Q-L	30% Propylene Glycol	47.60	32.21	1 x ND150	38.08	21.31	1 x ND150	57.12	45.13	1 x ND150
FXVS 1012C-32Q-M	30% Propylene Glycol	51.40	36.98	1 x ND150	41.12	24.47	1 x ND150	61.68	51.81	1 x ND150
FXVS 1012C-32Q-O	30% Propylene Glycol	55.80	42.94	1 x ND150	44.64	28.42	1 x ND150	66.96	60.17	1 x ND150
FXVS 1012C-36T-K	30% Propylene Glycol	45.20	62.03	1 x ND150	36.16	41.05	1 x ND150	54.24	86.91	1 x ND150
FXVS 1012C-36T-L	30% Propylene Glycol	50.70	76.34	1 x ND150	40.56	50.52	1 x ND150	60.84	106.97	1 x ND150
FXVS 1012C-36T-M	30% Propylene Glycol	54.70	88.27	1 x ND150	43.76	58.42	1 x ND150	65.64	123.68	1 x ND150
FXVS 1012C-36T-O	30% Propylene Glycol	59.60	102.58	2 x ND150	47.68	67.89	2 x ND150	71.52	143.73	2 x ND150
FXVS 1018C-24Q-K	30% Propylene Glycol	63.10	56.06	1 x ND200	50.48	37.10	1 x ND200	75.72	78.55	1 x ND200
FXVS 1018C-24Q-L	30% Propylene Glycol	70.30	67.99	1 x ND200	56.24	45.00	1 x ND200	84.36	95.27	1 x ND200
FXVS 1018C-24Q-M	30% Propylene Glycol	75.80	77.53	1 x ND200	60.64	51.31	1 x ND200	90.96	108.64	1 x ND200
FXVS 1018C-24Q-O	30% Propylene Glycol	82.20	89.46	1 x ND200	65.76	59.20	1 x ND200	98.64	125.35	1 x ND200
FXVS 1018C-24Q-P	30% Propylene Glycol	88.10	101.39	1 x ND200	70.48	67.10	1 x ND200	105.72	142.06	1 x ND200
FXVS 1018C-24T-K	30% Propylene Glycol	65.10	114.51	2 x ND150	52.08	75.78	2 x ND150	78.12	160.45	2 x ND150
FXVS 1018C-24T-L	30% Propylene Glycol	72.60	139.56	2 x ND150	58.08	92.36	2 x ND150	87.12	195.55	2 x ND150
FXVS 1018C-24T-M	30% Propylene Glycol	78.30	159.84	2 x ND150	62.64	105.78	2 x ND150	93.96	223.96	2 x ND150
FXVS 1018C-24T-O	30% Propylene Glycol	84.90	184.89	2 x ND150	67.92	122.36	2 x ND150	101.88	259.06	2 x ND150
FXVS 1018C-24T-P	30% Propylene Glycol	90.90	209.94	2 x ND150	72.72	138.93	2 x ND150	109.08	294.15	2 x ND150

FXVS 1018C-32Q-K	30% Propylene Glycol	67.60	78.73	1 x ND200	54.08	52.10	1 x ND200	81.12	110.31	1 x ND200
FXVS 1018C-32Q-L	30% Propylene Glycol	75.60	96.62	1 x ND200	60.48	63.94	1 x ND200	90.72	135.38	1 x ND200
FXVS 1018C-32Q-M	30% Propylene Glycol	81.60	110.93	1 x ND200	65.28	73.41	1 x ND200	97.92	155.43	1 x ND200
FXVS 1018C-32Q-O	30% Propylene Glycol	88.70	128.83	1 x ND200	70.96	85.25	1 x ND200	106.44	180.50	1 x ND200
FXVS 1018C-32Q-P	30% Propylene Glycol	95.20	146.72	1 x ND200	76.16	97.10	1 x ND200	114.24	205.57	1 x ND200
FXVS 1018C-36H-K	30% Propylene Glycol	66.60	27.43	1 x ND200	53.28	18.16	1 x ND200	79.92	38.44	1 x ND200
FXVS 1018C-36H-L	30% Propylene Glycol	74.40	33.40	1 x ND200	59.52	22.10	1 x ND200	89.28	46.80	1 x ND200
FXVS 1018C-36H-M	30% Propylene Glycol	80.30	39.36	1 x ND200	64.24	26.05	1 x ND200	96.36	55.15	1 x ND200
FXVS 1018C-36H-O	30% Propylene Glycol	87.30	45.33	1 x ND200	69.84	30.00	1 x ND200	104.76	63.51	1 x ND200
FXVS 1018C-36H-P	30% Propylene Glycol	93.70	51.29	1 x ND200	74.96	33.94	1 x ND200	112.44	71.87	1 x ND200
FXVS 1212C-12D-K	30% Propylene Glycol	36.20	53.68	2 x ND100	28.96	35.52	2 x ND100	43.44	75.21	2 x ND100
FXVS 1212C-12D-L	30% Propylene Glycol	39.60	63.22	2 x ND100	31.68	41.84	2 x ND100	47.52	88.58	2 x ND100
FXVS 1212C-12D-M	30% Propylene Glycol	42.20	70.38	2 x ND100	33.76	46.57	2 x ND100	50.64	98.61	2 x ND100
FXVS 1212C-12D-O	30% Propylene Glycol	45.90	82.30	2 x ND100	36.72	54.47	2 x ND100	55.08	115.32	2 x ND100
FXVS 1212C-12D-P	30% Propylene Glycol	49.20	93.04	2 x ND100	39.36	61.57	2 x ND100	59.04	130.36	2 x ND100
FXVS 1212C-16D-K	30% Propylene Glycol	40.20	76.34	2 x ND100	32.16	50.52	2 x ND100	48.24	106.97	2 x ND100
FXVS 1212C-16D-L	30% Propylene Glycol	44.20	90.65	2 x ND100	35.36	59.99	2 x ND100	53.04	127.02	2 x ND100
FXVS 1212C-16D-M	30% Propylene Glycol	47.10	101.39	2 x ND100	37.68	67.10	2 x ND100	56.52	142.06	2 x ND100
FXVS 1212C-16D-O	30% Propylene Glycol	51.30	118.09	3 x ND100	41.04	78.15	3 x ND100	61.56	165.46	3 x ND100
FXVS 1212C-16D-P	30% Propylene Glycol	55.10	134.79	3 x ND100	44.08	89.20	3 x ND100	66.12	188.86	3 x ND100
FXVS 1212C-16Q-K	30% Propylene Glycol	35.00	10.74	1 x ND150	28.00	7.10	1 x ND150	42.00	15.04	1 x ND150
FXVS 1212C-16Q-L	30% Propylene Glycol	38.30	11.93	1 x ND150	30.64	7.89	1 x ND150	45.96	16.71	1 x ND150
FXVS 1212C-16Q-M	30% Propylene Glycol	40.70	13.12	1 x ND150	32.56	8.68	1 x ND150	48.84	18.38	1 x ND150
FXVS 1212C-16Q-O	30% Propylene Glycol	44.20	15.51	1 x ND150	35.36	10.26	1 x ND150	53.04	21.73	1 x ND150
FXVS 1212C-16Q-P	30% Propylene Glycol	47.40	17.89	1 x ND150	37.92	11.84	1 x ND150	56.88	25.07	1 x ND150
FXVS 1212C-20D-K	30% Propylene Glycol	43.20	101.39	2 x ND100	34.56	67.10	2 x ND100	51.84	142.06	2 x ND100
FXVS 1212C-20D-L	30% Propylene Glycol	47.50	120.48	2 x ND100	38.00	79.73	2 x ND100	57.00	168.80	2 x ND100
FXVS 1212C-20D-M	30% Propylene Glycol	50.70	135.98	3 x ND100	40.56	89.99	3 x ND100	60.84	190.53	3 x ND100
FXVS 1212C-20D-O	30% Propylene Glycol	55.30	158.65	3 x ND100	44.24	104.99	3 x ND100	66.36	222.29	3 x ND100
FXVS 1212C-20D-P	30% Propylene Glycol	59.50	181.31	3 x ND100	47.60	119.99	3 x ND100	71.40	254.04	3 x ND100
FXVS 1212C-24D-K	30% Propylene Glycol	48.90	143.14	2 x ND100	39.12	94.73	2 x ND100	58.68	200.56	2 x ND100
FXVS 1212C-24D-L	30% Propylene Glycol	54.40	174.15	3 x ND100	43.52	115.25	3 x ND100	65.28	244.01	3 x ND100
FXVS 1212C-24D-M	30% Propylene Glycol	58.40	198.01	3 x ND100	46.72	131.04	3 x ND100	70.08	277.44	3 x ND100
FXVS 1212C-24D-O	30% Propylene Glycol	64.30	234.99	3 x ND100	51.44	155.51	3 x ND100	77.16	329.25	3 x ND100
FXVS 1212C-24D-P	30% Propylene Glycol	69.50	270.77	3 x ND100	55.60	179.19	3 x ND100	83.40	379.39	3 x ND100
FXVS 1212C-24Q-K	30% Propylene Glycol	44.60	20.28	1 x ND150	35.68	13.42	1 x ND150	53.52	28.41	1 x ND150
FXVS 1212C-24Q-L	30% Propylene Glycol	49.50	25.05	1 x ND150	39.60	16.58	1 x ND150	59.40	35.10	1 x ND150
FXVS 1212C-24Q-M	30% Propylene Glycol	53.00	27.43	1 x ND150	42.40	18.16	1 x ND150	63.60	38.44	1 x ND150
FXVS 1212C-24Q-O	30% Propylene Glycol	58.30	33.40	1 x ND200	46.64	22.10	1 x ND200	69.96	46.80	1 x ND200
FXVS 1212C-24Q-P	30% Propylene Glycol	63.00	38.17	1 x ND200	50.40	25.26	1 x ND200	75.60	53.48	1 x ND200
FXVS 1212C-24T-K	30% Propylene Glycol	46.50	39.36	1 x ND150	37.20	26.05	1 x ND150	55.80	55.15	1 x ND150
FXVS 1212C-24T-L	30% Propylene Glycol	51.70	47.71	1 x ND150	41.36	31.58	1 x ND150	62.04	66.85	1 x ND150
FXVS 1212C-24T-M	30% Propylene Glycol	55.50	53.68	1 x ND150	44.40	35.52	1 x ND150	66.60	75.21	1 x ND150
FXVS 1212C-24T-O	30% Propylene Glycol	61.10	64.41	2 x ND150	48.88	42.63	2 x ND150	73.32	90.25	2 x ND150
FXVS 1212C-24T-P	30% Propylene Glycol	66.20	73.96	2 x ND150	52.96	48.94	2 x ND150	79.44	103.62	2 x ND150
FXVS 1212C-28D-K	30% Propylene Glycol	50.80	174.15	3 x ND100	40.64	115.25	3 x ND100	60.96	244.01	3 x ND100
FXVS 1212C-28D-L	30% Propylene Glycol	56.50	211.13	3 x ND100	45.20	139.72	3 x ND100	67.80	295.83	3 x ND100
FXVS 1212C-28D-M	30% Propylene Glycol	60.70	239.76	3 x ND100	48.56	158.67	3 x ND100	72.84	335.94	3 x ND100
FXVS 1212C-28D-O	30% Propylene Glycol	66.80	285.09	3 x ND100	53.44	188.66	3 x ND100	80.16	399.45	3 x ND100
FXVS 1212C-30T-K	30% Propylene Glycol	49.40	52.48	1 x ND150	39.52	34.73	1 x ND150	59.28	73.54	1 x ND150
FXVS 1212C-30T-L	30% Propylene Glycol	55.00	63.22	1 x ND150	44.00	41.84	1 x ND150	66.00	88.58	1 x ND150
FXVS 1212C-30T-M	30% Propylene Glycol	59.20	72.76	2 x ND150	47.36	48.15	2 x ND150	71.04	101.95	2 x ND150
FXVS 1212C-30T-O	30% Propylene Glycol	65.30	87.08	2 x ND150	52.24	57.63	2 x ND150	78.36	122.01	2 x ND150
FXVS 1212C-30T-P	30% Propylene Glycol	70.80	100.20	2 x ND150	56.64	66.31	2 x ND150	84.96	140.39	2 x ND150
FXVS 1212C-32Q-K	30% Propylene Glycol	48.60	28.63	1 x ND150	38.88	18.95	1 x ND150	58.32	40.11	1 x ND150
FXVS 1212C-32Q-L	30% Propylene Glycol	53.90	34.59	1 x ND150	43.12	22.89	1 x ND150	64.68	48.47	1 x ND150
FXVS 1212C-32Q-M	30% Propylene Glycol	58.00	39.36	1 x ND200	46.40	26.05	1 x ND200	69.60	55.15	1 x ND200
FXVS 1212C-32Q-O	30% Propylene Glycol	63.90	46.52	1 x ND200	51.12	30.79	1 x ND200	76.68	65.18	1 x ND200
FXVS 1212C-32Q-P	30% Propylene Glycol	69.20	53.68	1 x ND200	55.36	35.52	1 x ND200	83.04	75.21	1 x ND200
FXVS 1212C-36T-K	30% Propylene Glycol	51.60	65.61	1 x ND150	41.28	43.42	1 x ND150	61.92	91.92	1 x ND150
FXVS 1212C-36T-L	30% Propylene Glycol	57.50	79.92	2 x ND150	46.00	52.89	2 x ND150	69.00	111.98	2 x ND150
FXVS 1212C-36T-M	30% Propylene Glycol	61.90	91.85	2 x ND150	49.52	60.78	2 x ND150	74.28	128.69	2 x ND150
FXVS 1212C-36T-O	30% Propylene Glycol	68.30	109.74	2 x ND150	54.64	72.62	2 x ND150	81.96	153.76	2 x ND150
FXVS 1212C-36T-P	30% Propylene Glycol	74.20	126.44	2 x ND150	59.36	83.68	2 x ND150	89.04	177.16	2 x ND150
FXVS 1218C-24Q-K	30% Propylene Glycol	73.10	62.03	1 x ND200	58.48	41.05	1 x ND200	87.72	86.91	1 x ND200
FXVS 1218C-24Q-L	30% Propylene Glycol	81.10	75.15	1 x ND200	64.88	49.73	1 x ND200	97.32	105.29	1 x ND200
FXVS 1218C-24Q-M	30% Propylene Glycol	87.10	85.88	1 x ND200	69.68	56.84	1 x ND200	104.52	120.34	1 x ND200

FXVS 1218C-24Q-O	30% Propylene Glycol	95.90	101.39	1 x ND200	76.72	67.10	1 x ND200	115.08	142.06	1 x ND200
FXVS 1218C-24Q-P	30% Propylene Glycol	103.80	116.90	2 x ND200	83.04	77.36	2 x ND200	124.56	163.79	2 x ND200
FXVS 1218C-24T-K	30% Propylene Glycol	75.40	125.25	2 x ND150	60.32	82.89	2 x ND150	90.48	175.49	2 x ND150
FXVS 1218C-24T-L	30% Propylene Glycol	83.70	150.30	2 x ND150	66.96	99.46	2 x ND150	100.44	210.59	2 x ND150
FXVS 1218C-24T-M	30% Propylene Glycol	89.90	171.77	2 x ND150	71.92	113.67	2 x ND150	107.88	240.67	2 x ND150
FXVS 1218C-24T-O	30% Propylene Glycol	98.80	202.78	2 x ND150	79.04	134.20	2 x ND150	118.56	284.13	2 x ND150
FXVS 1218C-24T-P	30% Propylene Glycol	106.80	233.79	2 x ND150	85.44	154.72	2 x ND150	128.16	327.58	2 x ND150
FXVS 1218C-32Q-K	30% Propylene Glycol	78.50	88.27	1 x ND200	62.80	58.42	1 x ND200	94.20	123.68	1 x ND200
FXVS 1218C-32Q-L	30% Propylene Glycol	87.40	107.35	1 x ND200	69.92	71.05	1 x ND200	104.88	150.42	1 x ND200
FXVS 1218C-32Q-M	30% Propylene Glycol	94.00	122.86	1 x ND200	75.20	81.31	1 x ND200	112.80	172.15	1 x ND200
FXVS 1218C-32Q-O	30% Propylene Glycol	103.50	145.52	2 x ND200	82.80	96.31	2 x ND200	124.20	203.90	2 x ND200
FXVS 1218C-32Q-P	30% Propylene Glycol	112.20	168.19	2 x ND200	89.76	111.30	2 x ND200	134.64	235.66	2 x ND200
FXVS 1218C-36H-K	30% Propylene Glycol	77.30	31.01	1 x ND200	61.84	20.52	1 x ND200	92.76	43.45	1 x ND200
FXVS 1218C-36H-L	30% Propylene Glycol	86.00	38.17	1 x ND200	68.80	25.26	1 x ND200	103.20	53.48	1 x ND200
FXVS 1218C-36H-M	30% Propylene Glycol	92.50	42.94	1 x ND200	74.00	28.42	1 x ND200	111.00	60.17	1 x ND200
FXVS 1218C-36H-O	30% Propylene Glycol	102.00	51.29	2 x ND200	81.60	33.94	2 x ND200	122.40	71.87	2 x ND200
FXVS 1218C-36H-P	30% Propylene Glycol	110.60	59.64	2 x ND200	88.48	39.47	2 x ND200	132.72	83.57	2 x ND200