



Sound attenuation XC

Previous generation products

[Engineering data](#)

Last update: 28/06/2024

Sound attenuation XC



1. Access door; L & W & H: unit dimensions (see Engineering Data).



| Model | Unit + Atten # pieces shipped | # Access Doors | | Dimensions (mm) | | | | | Weights (kg) | | | |
|-------------|--|----------------|--------|-----------------|------|------|-------|-------|--------------|--------------|-----------|-------|
| | | Discharge | Intake | W2 | H | W | L | L2 | Intake | Solid Bottom | Discharge | Total |
| 10 - 25 | 3 | 1 | 2 | N.A. | 1090 | 1030 | 890 | 902 | N.A. | 30 | N.A. | N.A. |
| 30 - 55 | 3 ⁽¹⁾ | 1 | 2 | N.A. | 1090 | 1030 | 1800 | 1816 | N.A. | 50 | N.A. | N.A. |
| 65 - 85 | 3 ⁽¹⁾ | 1 | 2 | N.A. | 1030 | 1030 | 2710 | 2731 | N.A. | 70 | N.A. | N.A. |
| 95 - 135 | 4 ⁽²⁾ | 1 | 2 | N.A. | 1090 | 1030 | 3635 | 3645 | 830 | 100 | N.A. | N.A. |
| 150 - 185 | 4 | 1 | 2 | 3728 | 1600 | 1420 | 3635 | 3645 | 1080 | 120 | 1070 | 2270 |
| N215 - N265 | 4 | 1 | 2 | 4687 | 2070 | 1955 | 3525 | 3645 | 1420 | 190 | 1330 | 2940 |
| N310 - N395 | 4 | 2 | 2 | 4687 | 2070 | 1955 | 5365 | 5480 | 1970 | 300 | 1980 | 4250 |
| N430 - N535 | 7 | 2 | 2 | 4687 | 2070 | 1955 | 7185 | 7320 | 2840 | 380 | 2660 | 5880 |
| C215 - C265 | 4 | 1 | 2 | 4535 | 2070 | 1955 | 3525 | 3645 | 1420 | 190 | 1330 | 2940 |
| C310 - C395 | 4 | 2 | 2 | 4535 | 2070 | 1955 | 5365 | 5480 | 1970 | 300 | 1980 | 4250 |
| C430 - C535 | 7 | 2 | 2 | 4535 | 2070 | 1955 | 7185 | 7320 | 2840 | 380 | 2660 | 5880 |
| S220 - S320 | 4 | 1 | 2 | 4687 | 2070 | 2365 | 3550 | 3645 | 1420 | 190 | 1640 | 3250 |
| S345 - S470 | 4 | 2 | 2 | 4687 | 2070 | 2365 | 5385 | 5480 | 1970 | 300 | 2240 | 4510 |
| S530 - S640 | 7 | 2 | 2 | 4687 | 2070 | 2365 | 7200 | 7322 | 2840 | 380 | 3280 | 6500 |
| S690 - S940 | 7 | 4 | 2 | 4687 | 2070 | 2365 | 10885 | 10998 | 3940 | 600 | 4480 | 9020 |
| 315 - 400 | 4 | 2 | 2 | 5290 | 2560 | 2965 | 3510 | 3645 | 1620 | 230 | 1820 | 3670 |
| 470 - 600 | 4 | 2 | 2 | 5290 | 2560 | 2965 | 5365 | 5480 | 2240 | 350 | 2490 | 5080 |
| 630 - 800 | 7 | 4 | 2 | 5290 | 2560 | 2965 | 7185 | 7320 | 3240 | 460 | 3640 | 7340 |
| 870 - 1200 | 10 | 3 | 3 | 5290 | 2560 | 2965 | 10865 | 10995 | 4860 | 690 | 5460 | 11010 |