



# TVFC\_EC8026-D810\_EC8A26-

**S810**  
Adiabatic cooling

## Engineering data

**REMARK:** Do not use for construction. Refer to factory certified dimensions & weights. This page includes data current at time of publication, which should be reconfirmed at the time of purchase. In the interest of product improvement, specifications, weights and dimensions are subject to change without notice.

**Last update:** 01/01/2025

**TVFC\_EC8026-D810\_EC8A26-S810**



1. Fluid outlet connection; 2. Fluid inlet connection; 3. Pre-cooler city water connection; 4. Pre-cooler water drain; 5. Electrical power panel; 6. Control panel.



Model	Nr. of Fans	Weights (kg)			Dimensions (mm)			Air Flow (m³/s)	Tube Internal Volume (dm³)	Surface (m²)	Connections
		Oper. Weight (kg)	Ship. Weight(kg)	Heaviest Section (kg)	L	W	H				
TVFC EC802 6-D810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC802 6-D810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC802 6-H810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC802 6-H810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC802 6-L810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC802 6-L810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC802 6-M810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC802 6-M810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC802 6-Q810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC802 6-Q810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC802 6-S810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC802 6-S810	12	5332	4355	4355	7897	2382	2490	74.3	650.0	3322.0	2
TVFC EC8A2 6-D810	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2
TVFC EC8A2 6-D810	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2
TVFC EC8A2 6-H810	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2
TVFC EC8A2 6-H810	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2
TVFC EC8A2 6-L810	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2
TVFC EC8A2 6-L810	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2
TVFC	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2



EC8A2 6-M810											
TVFC EC8A2 6-M810	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2
TVFC EC8A2 6-Q810	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2
TVFC EC8A2 6-Q810	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2
TVFC EC8A2 6-S810	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2
TVFC EC8A2 6-S810	12	5332	4355	4355	7897	2382	2490	66.9	650.0	3322.0	2