



Sound attenuation XB

Previous generation products

[Engineering data](#)

Last update: 01/09/2024

Sound attenuation XB



1. Access door; L & W & H: unit dimensions (see Engineering Data).



Model	Unit + Atten # pieces shipped	# Access Doors		Dimensions (mm)					Weights (kg)			
		Discharge	Intake	W2	H	W	L	L2	Intake	Solid Bottom	Discharge	Total
10 - 25	3	1	2	2352	1090	1030	890	902	130	30	150	310
30 - 55	3 ⁽¹⁾	1	2	2352	1090	1030	1800	1816	220	50	220	490
65 - 85	3 ⁽¹⁾	1	2	2352	1090	1030	2710	2731	300	70	350	720
95 - 135	4 ⁽²⁾	1	2	2352	1090	1030	3635	3645	370	100	420	890
150 - 185	4	1	2	2583	1600	1420	3635	3645	480	120	520	1120
N215 - N265	4	1	2	3542	2070	1955	3525	3645	630	190	650	1220
N310 - N395	4	2	2	3542	2070	1955	5365	5480	860	300	970	2130
N430 - N535	7	2	2	3542	2070	1955	7185	7320	1260	380	1300	2940
C215 - C265	4	1	2	3390	2070	1955	3525	3645	630	190	650	1220
C310 - C395	4	2	2	3390	2070	1955	5365	5840	860	300	970	2130
C430 - C535	7	2	2	3390	2070	1955	7185	7320	1260	380	1300	2940
S220 - S320	4	1	2	3542	2070	2365	3550	3645	630	190	800	1620
S345 - S470	4	2	2	3542	2070	2365	5385	5480	860	300	1090	2250
S530 - S640	7	2	2	3542	2070	2365	7200	7322	1260	380	1600	3240
S690 - S940	7	4	2	3542	2070	2365	10885	10998	1720	600	2180	4500
315 - 400	4	2	2	4145	2560	2965	3510	3645	710	230	880	1820
470 - 600	4	2	2	4145	2560	2965	5365	5480	980	350	1210	2540
630 - 800	7	4	2	4145	2560	2965	7185	7320	1420	460	1760	3640
870 - 1200	10	3	3	4145	2560	2965	10865	10995	2130	690	2640	5460