



# TRF-1022

Adiabatic cooling

## Engineering data

**REMARK:** Do not use for construction. Refer to factory certified dimensions & weights. This page includes data current at time of publication, which should be reconfirmed at the time of purchase. In the interest of product improvement, specifications, weights and dimensions are subject to change without notice.

**Last update:** 18/01/2022

**TRF-1022**



1. Water supply; 2. Fluid outlet connection; 3. Fluid inlet connection; 4. Overflow; 5. Drain.



Model	Nr. of Fans	Weights (kg)			Dimensions (mm)			Air Flow (m <sup>3</sup> /s)		Tube Internal Volume (dm <sup>3</sup> )	Surface (m <sup>2</sup> )	Connections
		Oper. Weight (kg)	Ship. Weight(kg)	Heaviest Section (kg)	L	W	H	Δ	Υ			
TRF 1 022E- C80E D43E	10	7200	5900	5900	7334	2985	2972	68.5	68.5	818.0	4140. 0	2
TRF 1 022E- C80E M43E	10	7200	5900	5900	7334	2985	2972	68.5	68.5	818.0	4140. 0	2
TRF 1 022E- C80E S43E	10	7200	5900	5900	7334	2985	2972	68.5	68.5	818.0	4140. 0	2